CABLES AND ADAPTERS

Standard Printer Cables ... 172
Standard Serial Cables ... 174
Standard PS/2 Cables ... 176
Keyboard-/ Interface Adapters & Slot Bracket Cables 177
Standard HDMI Cables ... 178
Standard HDMI Cables & Adapters ... 179
Standard HDMI Adapters ... 180
Standard DVI Cables ... 181
Standard DVI Cables & Splitter ... 182
Standard DVI Splitter & Adapters ... 183
Standard DVI Adapters ... 184
Standard VGA Cables ... 185
Standard VGA Splitter ... 188
Gender Changer ... 189
Standard USB Cables ... 190
Standard USB Adapter ... 195
Standard Firewire Cables ... 196
Standard Firewire Cables & Adapters ... 197
Internal PC Power Cables ... 198
Internal PC Power & Audio Cables ... 200
External Power Supply Cables ... 201
Standard Audio Cables ... 203
Standard Audio Cables & Adapter ... 206
Standard Audio Adapter ... 207
Standard Video Cables ... 209
Standard Video Cables & Adapter ... 211
Standard Video Adapter ... 212
Standard Video Adapter & Switches ... 213
Standard TV/SAT Cables ... 214
Standard TV/SAT Cable-Accessories ... 215
Standard TAE Cables ... 216
DIGITUS® Premium Printer Cables ... 218
DIGITUS® Premium Printer & Serial Cables ... 219
DIGITUS® Premium Serial & PS/2 Cables ... 220
DIGITUS® Premium HDMI Cables ... 221
DIGITUS® Premium DVI Cables ... 222
DIGITUS® Premium DVI & Monitor Cables ... 223
DIGITUS® Premium Monitor Cables ... 224
DIGITUS® Premium USB Cables ... 226
DIGITUS® Premium eSATA Cables/High Quality Audio 227
High Quality Video Cables ... 228
High Quality Video & Audio Cables ... 229
Retractable Cables ... 230
Cable Organizer ... 231
Installation Accessories & Cable Testdevices ... 232



Printer connection cable, parallel

D-Sub 25-pin plug <=> CENT 36-pin plug
- Snap hoods
- 25-wire cable, single shielded, AWG28
- Color: beige

062561 /	**AK 101 1,8M**	1,8 m
062585 /	**AK 102 3M**	2,8 m
062592 /	**AK 103 5M**	5,0 m
062608 /	**AK 104 7M**	7,0 m
062615 /	**AK 105 10M**	10,0 m



DIGITUS® Blister printer connection cable, parallel

D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- 25-wire cable , single shielded, AWG28
- Color: beige

074106 /	**DB-062622**	2,0 m
074113 /	**DB-062653**	3,0 m
074168 /	**DB-062813**	5,0 m
118176 /	**DB-062820**	7,0 m
085263 /	**DB-062837**	10,0 m



Printer connection cable, parallel

D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- 25-wire cable, single shielded, AWG28
- Color: beige

062622 /	**AK 108 2M**	2,0 m
062653 /	**AK 127 3M**	3,0 m
062813 /	**AK 158 5M**	5,0 m
062820 /	**AK 159 7M**	7,0 m
062837 /	**AK 160 10M**	10,0 m



Printer connection cable, IEEE 1284

D-Sub 25-pin plug <=> miniCENT 36-pin HP plug
- Molded housing
- UL20276, Twisted Pair cable, double shielded, AWG28
- Assignment as per IEEE 1284, supports EPP interfaces
- Color: beige

064572 /	**AK 706 1,8M**	1,8 m
064589 /	**AK 707 3M**	3,0 m



Printer connection cable, parallel, left angled

D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- left angled
- 25-wire cable, single shielded, AWG28
- Color: beige

063964 /	**AK 525 L 2M**	2,0 m



Printer connection cable, serial

D-Sub 9-pin jack <=> D-Sub 25-pin plug
- Snap hoods
- 8-wire cable, single shielded, AWG28
- Color: beige

062776 /	**AK 150 3M**	3,0 m

Printer connection cable, IEEE 1284 bidirectional

D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- UL20276, Twisted Pair cable, double shielded, AWG28
- Assignment as per IEEE 1284, supports EPP interfaces
- Color: beige



064596 / **AK 711 1,8M**	1,8 m
064602 / **AK 712 3M**	3,0 m

Printer cable, IEEE 1284, bidirectional

AK 733 1.8 m: extension cable D-Sub 25-pin plug <=> D-Sub 25-pin jack
AK 736 1.8 m: connection cable D-Sub 25-pin plug <=> D-Sub 25-pin plug
- Molded housing
- UL20276, Twisted Pair cable, double shielded, AWG28
- Assignment as per IEEE 1284, supports EPP interfaces
- Color: beige



064626 / **AK 733 1.8M**	1,8 m
064657 / **AK 736 1.8M**	1,8 m

Serial / parallel connection cable

for 25--pin interfaces

D-Sub 25-pin plug <=> D-Sub 25-pin plug
- Snap hoods
- 25-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige



063674 / **AK 401 2M**	2,0 m
063889 / **AK 508 3M**	3,0 m
063681 / **AK 402 5M**	5,0 m

Serial / parallel extension cable

for 25---pin Interfaces

D-Sub 25-pin plug <=> D-Sub 25-pin jack
- Snap hoods
- 25-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige



063704 / **AK 404 2M**	2,0 m
063971 / **AK 526 3M**	3,0 m
063711 / **AK 405 5M**	5,0 m

Serial / parallel extension cable

for 25--pin Interfaces

D-Sub 25-pin plug <=> D-Sub 25-pin jack
- Molded housing
- 25-wire cable, shielded, AWG28; assignment 1:1; colour: beige

062707 / **AK 135 2M**	2,0 m
062875 / **AK 166 3M**	3,0 m
062714 / **AK 136 5M**	5,0 m
062882 / **AK 168 10M**	10,0 m

Serial / parallel connection cable

for 25-pin Interfaces

D-Sub 25-pin plug <=> D-Sub 25-pin plug
- Molded housing
- 25-wire cable, single shielded, AWG28
- Assignment 1:1; colour: beige

062721 / **AK 137 2M**	2,0 m
062844 / **AK 162 3M**	3,0 m
062806 / **AK 154 5M**	5,0 m
062868 / **AK 164 10M**	10,0 m

Zero-modem cable

AK 149 = D-Sub 9-pin jack <=> D-Sub 25-pin plug
AK 124 = D-Sub 9-pin jack <=> D-Sub 25-pin jack

- Snap hoods
- 9-wire cable, single shielded, AWG28
- Assignment: 1-8, 2-2, 3-3, 4-6, 5-7, 6-20, 7-5, 8-4, 9-22, S-S
- Color: beige

062769 / **AK 149 3M** 3,0 m
062639 / **AK 124 3M** 3,0 m



DIGITUS® Blister Zero-modem cable

D-Sub 9-pin jack <=> D-Sub 9-pin jack

- Snap hoods
- 8-wire cable, single shielded, AWG28
- Assignment: 1-4, 2-3, 3-2, 4-1, 5-5, 7-8, 8-7, 9-9, S-S
- Color: beige
- In blisterpackage

125495 / **DB-080633** 1,8 m
077992 / **DB-062745** 3,0 m

Zero-modem cable

D-Sub 9-pin jack <=> D-Sub 9-pin jack

- Snap hoods
- 8-wire cable, single shielded, AWG28
- Assignment: 1-4, 2-3, 3-2, 4-1, 5-5, 7-8, 8-7, 9-9, S-S
- Color: beige

080633 / **AK 143 1,8M** 1,8 m
062745 / **AK 143 3M** 3,0 m



Zero-modem cable

D-Sub 9-pin jack <=> D-Sub 25-pin plug

- Snap hoods
- 9-wire cable, single shielded, AWG28
- Assignment: 1-8, 2-3, 3-2, 4-20, 5-7, 6-6, 7-4, 8-5, 9-22, S-S
- Color: beige

076728 / **AK 186/NEW** 3,0 m



Zero-modem cable (AT)

D-Sub 9-pin jack <=> D-Sub 25-pin plug

- Snap hoods
- 9-wire cable, single shielded, AWG28
- Assignment: 1-8, 2-3, 3-2, 4-20, 5-7, 6-6, 7-4, 8-5, 9-22, S-S
- Color: beige

062660 / **AK 128 0,25M** 0,25 m
062646 / **AK 125 2M** 2,0 m

Serial doublehead datatransfer cable

D-Sub 9-pin jack <=> D-Sub 9-pin jack
D-Sub 25-pin jack <=> D-Sub 25-pin jack

- Molded housing
- 7-wire cable, single shielded, AWG28
- Color: beige

063018 / **AK 252** 3,0 m

Serial connection cable

for 9--pin Interfaces

D-Sub 9-pin jack <=> D-Sub 9-pin jack
- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige

062783 / **AK 152 2M**	2,0 m
062929 / **AK 182 3M**	3,0 m
062790 / **AK 153 5M**	5,0 m

Serial connection cable

for 9--pin Interfaces

D-Sub 9-pin plug <=> D-Sub 9-pin plug
- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige

062677 / **AK 129 2M**	2,0 m
062899 / **AK 174 3M**	3,0 m

DIGITUS® Blister serial extension cable

for 9--pin Interface

D-Sub 9-pin plug <=> D-Sub 9-pin jack
- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1; colour: beige; in blisterpackage

074656 / **DB-062684**	2,0 m
119029 / **DB-062905**	3,0 m
093008 / **DB-062691**	5,0 m
207801 / **DB-062912**	10,0 m

Serial extension cable

for 9--pin Interfaces

D-Sub 9-pin plug <=> D-Sub 9-pin jack
- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1; colour: beige

062684 / **AK 131 2M**	2,0 m
062905 / **AK 178 3M**	3,0 m
062691 / **AK 132 5M**	5,0 m
062912 / **AK 180 10M**	10,0 m

Serial connection cable

for 9--pin Interfaces

D-Sub 9-pin plug <=> D-Sub 9-pin jack
- Snap hoods
- Cable 9-wire, single shielded, AWG28
- Assignment 1:1
- Color: beige

062950 / **AK 230 2M**	2,0 m

Serial connection cable

for 9--pin Interfaces

D-Sub 9-pin jack <=> D-Sub 9-pin jack
- Snap hoods
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige

062967 / **AK 231 2M**	2,0 m

DIGITUS® Blister PS/2 extension cable

MiniDIN 6-pin plug <=> MiniDIN 6-pin jack
- Molded housing
- 6-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige
- In blisterpackage

074458 / **DB-063179** 2,0 m



PS/2 extension cable

MiniDIN 6-pin plug <=> MiniDIN 6-pin jack
- Molded housing
- 6-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige

063179 / **AK 323/G** 2,0 m
063995 / **AK 528/G** 5,0 m

PS/2 connection cable

MiniDIN 6-pin plug <=> MiniDIN 6-pin plug
- Molded housing
- 6-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: beige

064534 / **AK 678 2M** 2,0 m
088066 / **AK 678 3M** 3,0 m
064541 / **AK 679 5M** 5,0 m

PS/2 - DIN connection cable

keyboard adapter cable

DIN 5-pin plug <=> MiniDIN 6-pin jack
- Molded housing
- 4-wire cable, single shielded, AWG28
- Assignment : 1-5, 2-1, 4-3, 5-4
- Color: beige

063940 / **AK 5230 0,15M** 0,15 m



PS/2 - DIN connection cable

keyboard adapter cable

DIN 5-pin jack <=> MiniDIN 6-pin plug
- Molded housing
- 4-wire cable, single shielded, AWG28
- Assignment: 1-5, 2-1, 4-3, 5-4
- Color: beige

064008 / **AK 530 0,15M** 0,15 m

PS/2 notebook Y-adapter cable

cable to connect a PS/2 keyboard and mouse to a notebook keyboard port.

MiniDIN 6-pin plug <=> 2x MiniDIN 6-pin jack
- Molded housing
- 4-wire cable, single shielded, AWG28
- Color: beige

061168 / **AB NAK** 0,15 m

DIGITUS® Blister PS/2 keyboard adapter

DB-061090 = MiniDIN 6-pin jack <=> DIN 5-pin plug
DB-059912 = MiniDIN 6-pin jack <=> DIN 5-pin jack

- Molded housing
- Color: beige
- In blisterpackage

080275 / **DB-061090**
080268 / **DB-059912**

PS/2 keyboard adapter

AB 961 = MiniDIN 6-pin jack <=> DIN 5-pin plug
AB 440 = MiniDIN 6-pin jack <=> DIN 5-pin jack

- Molded housing
- Color: beige

061090 / **AB 961**
059912 / **AB 440**

PS/2 mouse adapter, only for combo mice

AB 401 = MiniDIN 6-pin jack <=> D-Sub 9-pin plug
AB 405 = MiniDIN 6-pin plug <=> D-Sub 9-pin plug
AB 406 = MiniDIN 6-pin jack <=> D-Sub 9-pin jack

- Molded housing
- Color: beige

059813 / **AB 401**
059820 / **AB 405**
049074 / **AB 406**

Serial adapter

AB 913 = D-Sub 9-pin plug <=> D-Sub 25-pin plug
AB 914F = D-Sub 9-pin plug <=> D-Sub 25-pin jack
AB 914 = D-Sub 9-pin jack <=> D-Sub 25-pin plug
AB 915 = D-Sub 9-pin jack <=> D-Sub 25-pin jack

- Molded housing
- Color: beige

061014 / **AB 913**
061021 / **AB 914**
061038 / **AB 914 F**
061045 / **AB 915**

PS/2 connection cable, internal / external on slot bracket

MiniDIN 6-pin jack <=> socket connector 10-pin
- connection cable 0.25m long

051497 / **AK PS2** 0,25 m

parallel connection cable, internal / external on slot bracket

AK 575 0.25m:D-Sub 9-pin jack <=> socket connector 10-pin
- ribbon cable 0.25m long, AWG28
- UL2651

AK 331

063186 / **AK 331** 0,25 m
076100 / **AK 575 0,25M** 0,25 m

DIGITUS® Blister HDMI connection cable

HDMI type A (19-pin) plug <=> HDMI type A (19-pin) plug

- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- HDMI 1.2 compatible
- Color: black
- In blisterpackage

170921 / **DB-162629**	2,0 m
170945 / **DB-162636**	3,0 m
195276 / **DB-162643**	5,0 m

HDMI connection cable

HDMI type A (19-pin) plug <=> HDMI type A (19-pin) plug

- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- HDMI 1.2 compatible
- Color: black

241386 / **AK-108057**	1,0 m
162629 / **AK 627**	2,0 m
162636 / **AK 627-3**	3.0 m
162643 / **AK 627-5**	5.0 m
212256 / **AK 627-11**	10,0m

HDMI connection cable

HDMI type A (19-pin) plug <=> HDMI type A (19-pin) plug

- Molded housing
- 19-wire cable, double shielded
- UL20276
- Gold plated
- HDMI 1.2 compatible
- Color: black

241331 / **AK-108049**	1,0 m
241348 / **AK-108050**	2,0 m
241355 / **AK-108051**	3,0 m
241362 / **AK-108052**	5,0 m
241379 / **AK-108054**	10,0 m

HDMI - DVI-D connection cable

HDMI type A (19-pin) plug <=> DVI-D (18+1) plug

- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- Color: black

171669 / **AK 639**	2,0 m
171683 / **AK 639-3**	3,0 m
171690 / **AK 639-5**	5,0 m
171676 / **AK 639-10**	10,0 m

HDMI - DVI-D connection cable

HDMI type A (19-pin) plug <=> DVI-D (24+1) plug

- metall housing
- 19-wire cable, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Gold plated
- Color: black

226215 / **AK-108010**	2,0 m
226222 / **AK-108011**	3,0 m
226239 / **AK-108012**	5,0 m

HDMI - DVI-I connection cable

HDMI type A (19-pin) plug <=> DVI-I (24+5) plug

- Molded plugs
- 19-wire cable, double shielded, AWG30
- 2x ferrite filter
- UL20276
- Color: black

226246 / **AK-108034**	2,0 m
226253 / **AK-108035**	3,0 m
226260 / **AK-108036**	5,0 m

HDMI - DVI-I connection cable

HDMI type A (19-pin) plug <=> DVI-I (24+5) plug
- metall plugs
- 19-wire cable, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Gold plated
- Color: black

226277 / **AK-108042**	2,0 m
226284 / **AK-108043**	3,0 m
226291 / **AK-108044**	5,0 m

HDMI mini connection cable

HDMI type C (19-pin) mini plug <=> HDMI type C (19-pin) mini plug
- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- Gold plated
- HDMI 1.3 compatible
- Color: black
- UL20276
- HDMI 1.3 kompatibel
- Farbe: Schwarz

211181 / **AK 62201**	2,0 m
211198 / **AK 62202**	3,0 m
211204 / **AK 62203**	5,0 m

HDMI mini connection cable

HDMI type C (19-pin) mini plug <=> HDMI type A (19-pin) plug
- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- Gold plated
- HDMI 1.3 compatible
- Color: black
- UL20276
- HDMI 1.3 kompatibel
- Farbe: Schwarz

211211 / **AK 62301**	2,0 m
211228 / **AK 62302**	3,0 m
211235 / **AK 62303**	5,0 m

HDMI adapter

- Molded housing
- Color: black

192572 / **AB 560**
192589 / **AB 561**
192596 / **AB 562**

HDMI mini adapter

mini Version

HDMI type A (19-pin) jack <=> HDMI type A (19-pin) jack
- Molded housing
- Gold plated
- Color: yellow

226505 / **AK-408009**

HDMI mini adapter, 90° angled

mini Version

HDMI type A (19-pin) jack <=> HDMI type A (19-pin) plug
- Molded housing
- Gold plated
- Color: yellow

226413 / **AK-408003**

HDMI adapter

HDMI Typ C (19-pin) jack <=> HDMI Typ A (19-pin) plug
- Molded housing
- Gold plated
- Color: black

226406 / **AK-408002**

DIGITUS® Blister HDMI - DVI adapter

DB-171706 = HDMI type A (19--pin) plug -> DVI-D (24+1) jack
DB-192565 = HDMI type A (19--pin) plug -> DVI-D (24+1) plug

- Molded housing
- Color: black
- In blisterpackage

172512 / **DB-171706**
197294 / **DB-192565**

HDMI - DVI adapter

AB 556 = HDMI type A (19--pin) plug -> DVI-D (24+1) jack
AB 557 = HDMI type A (19--pin) plug -> DVI-D (24+1) plug

- Molded housing
- Color: black

171706 / **AB 556**
192565 / **AB 557**

HDMI - DVI adapter

AB 566 = HDMI type A (19-pin) jack -> DVI-D (24+1) jack
AB 567 = HDMI type A (19-pin) jack -> DVI-D (24+1) plug

- Molded housing
- Color: black

192602 / **AB 566**
192619 / **AB 567** HDMI (A)/ F -> DVI-D (24+1)/ M

HDMI - DVI adapter

HDMI to DVI

HDMI Typ A (19-pin) jack <=> DVI-D (24+1) plug
- Molded housing
- Gold plated
- Color: black

226499 / **AK-408005**

DIGITUS® Blister DVI-D connection cable

DVI-D (18+1) plug <=> DVI-D (18+1) plug
- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black
- In blisterpackage

134985 / **DB-120865**	2,0 m
156611 / **DB-126133**	3,0 m
156659 / **DB-126140**	5,0 m

DVI-D connection cable

DVI-D (18+1) plug <=> DVI-D (18+1) plug
- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

120865 / **AK 620N**	2,0 m
126133 / **AK 620N-3**	3,0 m
126140 / **AK 620N-5**	5,0 m

DIGITUS® Blister DVI-D connection cable

DVI-D (24+1) plug <=> DVI-D (24+1) plug
- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black
- In blisterpackage

135005 / **DB-120872**	2,0 m
156628 / **DB-126157**	3,0 m
156666 / **DB-126164**	5,0 m

DVI-D connection cable

DVI-D (24+1) plug <=> DVI-D (24+1) plug
- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

120872 / **AK 621N**	2.0 m
126157 / **AK 621N-3**	3.0 m
126164 / **AK 621N-5**	5.0 m

DVI-I - VGA connection cable

DVI-I (24+5) plug <=> HD D-Sub 15-pin plug
- Molded housing
- 12-wire cable, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

120889 / **AK 622N**	2,0 m
126171 / **AK 622N-3**	3,0 m
126188 / **AK 622N-5**	5,0 m

DVI-D - HPC20 connection cable

DVI-D (24+1) plug <=> HPC20 plug
- Molded housing
- 17-wire cable, double shielded, AWG28
- UL20276
- Color: black

120896 / **AK 623N**	2,0 m

DVI single link connection cable



DVI-D (18+1), male ⇔ DVI-D (18+1), male

- cable UL20276
- With ferrite filter and thumb screws
- Assignment 18+1 = (Single Link)
- In blisterpackage

120902 / **AK 624N**	

DIGITUS® Blister DVI-D extension cable

DVI-D (24+1) plug <=> DVI-D (24+1) jack

- Molded plugs
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black
- In blisterpackage

185994 / **DB-118138**	2,0 m
186007 / **DB-126195**	3,0 m
186014 / **DB-126201**	5,0 m
187714 / **DB-126218**	10,0 m

DVI-D extension cable



DVI-D (24+1) plug <=> DVI-D (24+1) jack

- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

118138 / **AK 626**	2,0 m
126195 / **AK 626-3**	3,0 m
126201 / **AK 626-5**	5,0 m
226307 / **AK-110005**	7,5 m
126218 / **AK 626-10**	10,0 m

DVI-I connection cable

DVI-I (18+5) plug <=> DVI-I (18+5) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

226314 / **AK-110013**	2,0 m
226321 / **AK-110014**	3,0 m
226338 / **AK-110015**	5,0 m

DVI-I connection cable

DVI-I (24+5) plug <=> DVI-I (24+5) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- 2x ferrite filter
- UL20276
- Color: black

226345 / **AK-110019**	2,0 m
226352 / **AK-110020**	3,0 m
226369 / **AK-110021**	5,0 m

DVI-I - RCA (RGB) connection cable

DVI-I (24+5) plug <=> 3x RCA (RGB) plugs

- Molded housing
- 6-wire cable, shielded, AWG28
- UL2919
- Color: black

226376 / **AK-110027**	1,8 m
226383 / **AK-110028**	3,0 m
226390 / **AK-110029**	5,0 m

DVI-I Y-splitter cable

DVI-I (24+5) plug <=> DVI-I (24+5) jack + HD D-Sub 15-pin jack
- Length of cable: 0.20m, shielded, AWG30
- Moulded housing
- UL20726
- Gold plated
- Color: black

226574 / **AK-510001** 0,2 m

DVI-I Y-splitter cable

DVI-I (24+5) plug <=> 2x DVI-I (24+5) jack
- Length of cable: 0.20m, shielded, AWG30
- Moulded housing
- UL20726
- Gold plated
- Color: black

226581 / **AK-510002** 0,2 m

DVI-I Y-splitter cable

DVI-I (24+5) plug <=> 2x HD D-Sub 15-pin jack
- Length of cable: 0.20m, shielded, AWG30
- Moulded housing
- UL20726
- Gold plated
- Color: black

226598 / **AK-510003** 0,2 m

DVI-I Y-splitter cable

DVI-I (24+5) plug <=> 3x RCA (RGB) jack + HD D-Sub 15-pin jack
- Length of cable: 0.20m, shielded, AWG30
- Moulded housing
- UL20726
- Gold plated
- Color: black

226604 / **AK-510004** 0,2 m

DVI adapter

Digital/Analog adapter Dual-Link to Single-Link

DVI-D (18+1) plug <=> DVI-I (24+5) jack
- Molded housing
- Color: black

226536 / **AK-410003**

DVI adapter

Digital/Analog adapter Dual-Link to Single-Link

DVI-I (24+1) plug <=> DVI-I (24+5) jack
- Moulded housing
- Color: black

226550 / **AK-410005**

DVI adapter

Digital/Analog adapter (Dual-Link)

DVI-I (24+5) jack <=> DVI-I (24+5) jack
- Moulded housing
- Color: black

226567 / **AK-410007**

DVI-I adapter

Digital/Analog adapter (Dual-Link)

DVI-I (24+5) plug <=> DVI-I (24+5) jack
- Moulded housing
- Color: black

126324 / **AB 545**

DVI-I - HPC (DFP) adapter

AB 540 = DVI-D plug <=> HPC20 jack
AB 541 = DVI-D jack <=> HPC20 plug

- Moulded housing
- Jack with clip interlocking
- Color: black

083634 / **AB 540**
083641 / **AB 541**

DIGITUS® Blister DVI-I - VGA adapter

DB-083672 = DVI-I (24+5) plug <=> HD D-Sub 15-pin plug
DB-083689 = DVI-I (24+5) jack <=> HD D-Sub 15-pin plug

- Moulded housing
- Jack with clip interlocking
- Color: black
- In blisterpackage

119289 / **DB-083672**
119302 / **DB-083689**

DVI-I - VGA adapter

AB 543 = DVI-I (24+5) plug <=> HD D-Sub 15 jack
AB 544 = DVI-I (24+5) jack <=> HD D-Sub 15 plug

- Moulded housing
- Jack with clip interlocking
- Color: black

083672 / **AB 543**
083689 / **AB 544**

VGA monitor connection and extension cable

- Molded housing
- 13-wire cable, double shielded, AWG28
- Color: beige

211464 / **AK 53410**	1,8 m
211471 / **AK 53411**	3,0 m
211488 / **AK 53430**	1,8 m
211495 / **AK 53431**	3,0 m

DIGITUS® Blister VGA monitor connection and extension cable

- Molded housing
- 13-wire cable, double shielded, AWG30
- 2x ferrite filter
- UL2919, colour: black, in blisterpackage

196440 / **DB-183617**	1,8 m
196457 / **DB-183624**	3,0 m
206750 / **DB-183631**	1,8 m
206767 / **DB-183648**	3,0 m

VGA monitor connection and extension cable

- Molded housing
- 13-wire cable, double shielded, AWG30
- 2x ferrite filter
- UL2919
- Color: black

183617 / **AK 5320XF AL**	1,8 m
183624 / **AK 3760XF AL**	3,0 m
183631 / **AK 3220XF AL**	1,8 m
183648 / **AK 3730XF AL**	3,0 m

VGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug

- Molded housing
- 14-wire cable, shielded, AWG28
- Color: beige

064022 / **AK 532 2M**	1,8 m
063575 / **AK 376**	3,0 m
063605 / **AK 377**	5,0 m

VGA monitor extension cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack

- Molded housing
- 14-wire cable, shielded, AWG28
- Color: beige

063124 / **AK 322 2M**	1,8 m
063483 / **AK 373**	3,0 m
063544 / **AK 375**	10,0 m

DIGITUS® Blister VGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug

- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Color: beige, in blisterpackage

077503 / **DB-064046**	1,8 m
139379 / **DB-063582**	3,0 m
139393 / **DB-063612**	5,0 m
139409 / **DB-063636**	10,0 m

VGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Color: beige

064046 /	**AK 5320 1,8M**	1,8 m
063582 /	**AK 3760 3M**	3,0 m
063612 /	**AK 3770 5M**	5,0 m
063636 /	**AK 3780 10M**	10,0 m

DIGITUS® Blister VGA monitor extension cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Color: beige
- In blisterpackage

078012 /	**DB-063148**	1,8 m
085003 /	**DB-063490**	3,0 m
139164 /	**DB-063520**	5,0 m
172536 /	**DB-063551**	10,0 m

VGA monitor extension cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Color: beige

063148 /	**AK 3220 1,8M**	1,8 m
063490 /	**AK 3730 3M**	3,0 m
063520 /	**AK 3740 5M**	5,0 m
063551 /	**AK 3750 10M**	10,0 m

XGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded
- UL2919
- Color: beige

064053 /	**AK 5320X**	1,8 m
063599 /	**AK 3760X**	3,0 m
063629 /	**AK 3770X**	5,0 m
063643 /	**AK 3780X**	10,0 m

XGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded
- UL2919
- Color: beige

063155 /	**AK 3220X**	1,8 m
063506 /	**AK 3730X**	3,0 m
063537 /	**AK 3740X**	5,0 m
063568 /	**AK 3750X**	10,0 m

DIGITUS® Blister XGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded
- 2x ferrite filter
- UL2919
- Color: beige
- In blisterpackage

072638 /	**DB-050544**	1,8 m
072645 /	**DB-050513**	3,0 m
135609 /	**DB-050520**	5,0 m

XGA monitor connection cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded, 2x ferrite filter, UL2919, colour: beige

050544 / **AK 5320XF**	1,8 m
050513 / **AK 3760XF**	3.0 m
050520 / **AK 3770XF**	5,0 m
050537 / **AK 3780XF**	10,0 m
089377 / **AK 3815XF**	15,0 m
089407 / **AK 3820XF**	20,0 m

XGA monitor extension cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded, 2x ferrite filter, UL2919, colour: beige

050100 / **AK 3220XF**	1,8 m
050483 / **AK 3730XF**	3,0 m
050490 / **AK 3740XF**	5,0 m
050506 / **AK 3750XF**	10,0 m
089384 / **AK 3915XF**	15,0 m
089391 / **AK 3920XF**	20,0 m

XGA monitor extension cable, high-quality

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing, metallic shielding
- Cable 3x coaxial and 4x AWG28, double cable shielding (separate shielding of the RGB signal wires)
- 2x ferrite filter
- UL2919, gold plated, plug colour: black, cable colour: transparent

081494 / **AK 3220XF-HQC**	1,8 m
081500 / **AK 3730XF-HQC**	3,0 m
081517 / **AK 3740XF-HQC**	5,0 m
081524 / **AK 3750XF-HQC**	10,0 m

XGA monitor connection cable, high-quality

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing, metallic shielding
- Cable 3x coaxial and 4x AWG28, double cable shielding (separate shielding of the RGB signal wires)
- 2x ferrite filter
- UL2919, gold plated, plug colour: black, cable colour: transparent

081531 / **AK 5320XF-HQC**	1,8 m
081548 / **AK 3760XF-HQC**	3,0 m
081555 / **AK 3770XF-HQC**	5,0 m
081562 / **AK 3780XF-HQC**	10,0 m

VGA - BNC monitor connection cable

HD D-Sub 15-pin plug <> 5x BNC plug
- Molded housing
- 5x 75 Ohm coaxial cables, coax RGB (Sync), shielded, AWG28
- 1x ferrite filter
- UL2919
- Color: black

064213 / **AK 553/F**	2,0 m

EGA / CGA / monochrome - VGA multisync monitor connection cable

D-Sub 9-pin plug <> HD D-Sub 15-pin plug
- Molded housing
- 9-wire cable, shielded, AWG28
- Assignment: 1-1, 2-2, 3-3, 4-13, 5-14, 6-6, 7-7, 8-87, 9-10/11, S-S
- Color: beige

063902 / **AK 514 2M**	1,8 m

VGA Y-splitter cable

HD D-Sub 15-pin plug <=> 2x HD D-Sub 15-pin jack
- Length of cable: 0.20m, shielded, AWG28
- Moulded housing
- UL2919
- Gold plated
- Color: black

226611 / **AK-513001** 0,2 m

VGA Y-splitter cable

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack + 3x RCA (RGB) jack
- Length of cable: 0.20m, shielded, AWG28
- Moulded housing
- UL2919
- Gold plated
- Color: black

226628 / **AK-513002** 0,2 m

VGA Y-splitter cable

HD D-Sub 15-pin plug <=> DVI-I(24+1) jack + HD D-Sub 15-pin jack
- Length of cable: 0.20m, shielded, AWG28
- Moulded housing
- UL20726
- Gold plated
- Color: black

226635 / **AK-513003** 0,2m

DIGITUS® Enjoy connections. Live.

mini zero-modem adapter

Suitable for data exchange between two PCs via the serial port. Assignment:(9--pin version corresponds to the signals from the 25--pin version): 1-1, 2-3, 3-2, 4,5-8, 6-20, 7-7, 8-4,5, 20-6, G-G.

AB NM9 = D-Sub 9-pin plug <=> D-Sub 9-pin jack
AB NM25 = D-Sub 25-pin plug <=> D-Sub 25-pin jack

049548 / **AB NM9**
049531 / **AB NM25**

RS 232 adapter

- Metal version
- D-Sub 25-pin with screw eyes
- D-Sub 9-pin with hex-screws

AB 467 = D-Sub 9-pin plug <=> D-Sub 25-pin plug
AB 469 = D-Sub 9-pin jack <=> D-Sub 25-pin jack
AB 468 = D-Sub 9-pin plug <=> D-Sub 25-pin jack
AB 470 = D-Sub 9-pin jack <=> D-Sub 25-pin plug

059936 / **AB 467**
059943 / **AB 468**
059950 / **AB 469**
059967 / **AB 470**

mini gender changer / 9-pin

AB 410 = D-Sub 9-pin plug <=> D-Sub 9-pin plug
AB 411 = D-Sub 9-pin jack <=> D-Sub 9-pin jack

- metal version
- Assignment 1:1
- with hex-screws

059837 / **AB 410**
059844 / **AB 411**

mini gender changer / 15-pin

AB 412 = D-Sub 15-pin plug <=> D-Sub 15-pin plug
AB 413 = D-Sub 15-pin jack <=> D-Sub 15-pin jack

- metal version
- Assignment 1:1
- with hex-screws



059851 / **AB 412**
059868 / **AB 413**

mini gender changer / 25--pin

AB 414 = D-Sub 15-pin plug <=> D-Sub 15-pin plug
AB 415 = D-Sub 15-pin jack <=> D-Sub 15-pin jack

- metal version
- Assignment 1:1
- with hex-screws

059875 / **AB 414**
059882 / **AB 415**

mini gender changer / 15-pin

AB 418 = HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
AB 420 = HD D-Sub 15-pin jack <=> HD D-Sub 15-pin jack

- metal version
- Assignment 1:1
- with hex-screws

059899 / **AB 418**
059905 / **AB 420**

DIGITUS® Blister USB connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, unshielded, AWG30
- UL2725
- In blisterpackage

196464 / **DB-191452**	1,8 m	
196488 / **DB-191445**	3,0 m	
196471 / **DB-191773**	5,0 m	
206934 / **DB-180814**	1,8 m	
206941 / **DB-185093**	3,0 m	
206958 / **DB-192046**	5,0 m	

USB connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, unshielded, AWG30
- UL2725

191452 / **AK 672/ALG**	1,8 m	
191445 / **AK 672-3/ALG**	3,0 m	
191773 / **AK 672-5/ALG**	5,0 m	
180814 / **AK 672/AL**	1,8 m	
185093 / **AK 672-3/AL**	3,0 m	
192046 / **AK 672-5/AL**	5,0 m	



DIGITUS® Blister USB extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, unshielded, AWG30
- UL2725
- In blisterpackage

206965 / **DB-191483**	1,8 m	
206972 / **DB-191490**	3,0 m	
206989 / **DB-191797**	5,0 m	
206996 / **DB-183921**	1,8 m	
207009 / **DB-183938**	3,0 m	
207016 / **DB-192053**	5,0 m	

USB extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, unshielded, AWG30
- UL2725

191483 / **AK 669-18 ALG**	1,8 m	
191490 / **AK 669-30 ALG**	3,00 m	
191797 / **AK 669-50/ALG**	5,00 m	
183921 / **AK 669-18 AL**	1,80 m	
183938 / **AK 669-30 AL**	3,00 m	
192053 / **AK 669-50/AL**	5,00 m	

USB connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, 2x AWG28 und 2x AWG24
- UL2725
- Color: beige

050766 / **AK 672-1**	1,0 m	
064503 / **AK 672**	2,0 m	
050773 / **AK 672-3**	3,0 m	
050780 / **AK 672-5**	5,0 m	

USB extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, 2x AWG28 and 2x AWG24
- UL2725
- Color: beige

050711 / **AK 669-18**	1,8 m	
050728 / **AK 669-30**	3,0 m	
050735 / **AK 669-50**	5,0 m	

USB connection cable, A to A

USB A plug <=> USB A plug
- Molded housing
- 4-wire cable, double shielded, 2x AWG28 und 2x AWG24
- UL2725
- Color: beige

050742 / **AK 670-1**	1,0 m
064497 / **AK 670**	2,0 m
083573 / **AK 670-3**	3,0 m
050759 / **AK 670-5**	5,0 m

USB connection cable, B to B

USB B plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, 2x AWG28 und 2x AWG24
- UL2725
- Color: beige

050841 / **AK 673-1**	1,0 m
064510 / **AK 673**	2,0 m

DIGITUS® Blister USB connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, AWG30, UL2725, in blisterpackage

207863 / **DB-191476**	2,0 m
207870 / **DB-191469**	3,0 m
207887 / **DB-191780**	5,0 m
205715 / **DB-183570**	2,0 m
207894 / **DB-183587**	3,0 m
207900 / **DB-192060**	5,0 m

USB connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, AWG30, UL2725

191476 / **AK 672/2 ALG**	2,0 m
191469 / **AK 672/3 ALG**	3,0 m
191780 / **AK 672/2-5/ALG**	5,0 m
183570 / **AK 672/2 AL**	2,0 m
183587 / **AK 672/3 AL**	3,0 m
192060 / **AK 672/2-5/AL**	5,0 m

DIGITUS® Blister USB extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, AWG30, UL2725, in blisterpackage

196495 / **DB-191513**	2,0 m
196501 / **DB-191506**	3,0 m
196518 / **DB-191803**	5,0 m
207948 / **DB-183594**	2,0 m
207955 / **DB-183600**	3,0 m
207962 / **DB-192077**	5,0 m

USB extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, AWG30, UL2725

191513 / **AK 701/2 ALG**	2,0 m
191506 / **AK 701/3 ALG**	3,0 m
191803 / **AK 701/5/ALG**	5,0 m
183594 / **AK 701/2 AL**	2,0 m
183600 / **AK 701/3 AL**	3,0 m
192077 / **AK 701/5/AL**	5,0 m

DIGITUS® Blister USB 2.0 connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Color: beige
- In blisterpackage

148661 /	**DB-117797**	2,0 m
158240 /	**DB-117803**	3,0 m
159704 /	**DB-117810**	5,0 m

USB 2.0 connection cable, A to B

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Color: beige

117797 /	**AK 672/2**	2,0 m
117803 /	**AK 672/2-3**	3,0 m
117810 /	**AK 672/2-5**	5,0 m

DIGITUS® Blister USB 2.0 extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Color: beige
- In blisterpackage

160885 /	**DB-130260**	2,0 m
160908 /	**DB-130277**	3,0 m
160922 /	**DB-130284**	5,0 m

USB 2.0 extension cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, 2x AWG24, 2x AWG28
- UL2725
- USB 2.0 certified
- Color: beige

130260 /	**AK 701/2**	2,0 m
130277 /	**AK 701/3**	3,0 m
130284 /	**AK 701/5**	5,0 m

USB 2.0 connection cable, A to A

USB A plug <=> USB A jack
- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Color: beige

130239 /	**AK 700/2**	2,0 m
130246 /	**AK 700/3**	3,0 m
130253 /	**AK 700/5**	5,0 m

USB connection cable, A to B, transparent design

USB A plug <=> USB B plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- Color: transparent

134848 /	**AK 672-15TP**	1,5 m

USB connection cable, A to B, high-quality

USB A plug <=> USB B plug
- Molded housing, metallic shielding
- 4-wire cable, double shielded, 2x AWG24, 2x AWG28
- UL2725
- USB 2.0 compatible
- Plug colour: black
- Cable color: transparent

081593 / **AK 672HQC 2M**	2,0 m
081586 / **AK 672-5HQC 5M**	5,0 m

USB mini connection cable, A to B

USB A plug <=> USB B (4-pin) mini plug (Mitsumi type)
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- USB 2.0 compatible
- Color: black

082965 / **AK 670M-1**	1,0 m
083030 / **AK 670M**	2,0 m
083054 / **AK 670M-3**	3,0 m
083078 / **AK 670M-5**	5,0 m

DIGITUS® Blister USB mini connection cable, A to B

USB A plug <=> USB B (5-pin) mini plug
- Molded housing
- 4-wire cable, double shielded, 2x AWG24, 2x AWG28
- UL2725
- USB 2.0 compatible
- Color: beige
- in blisterpackage

182894 / **DB-122425**	1,0 m
150329 / **DB-122432**	2,0 m
182870 / **DB-122449**	3,0 m
182917 / **DB-122456**	5,0 m

USB mini connection cable, A to B

USB A plug <=> USB B (5-pin) mini plug
- Molded housing
- 4-wire cable, double shielded, 2x AWG26, 2x AWG28
- UL2725
- USB 2.0 compatible
- Color: beige

122425 / **AK 672M-1**	1,0 m
122432 / **AK 672M-2**	2,0 m
122449 / **AK 672M-3**	3,0 m
122456 / **AK 672M-5**	5,0 m

USB micro connection cable, A to A

USB A plug <=> USB A micro plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- Color: black

211518 / **AK 67321**	2,0 m
211525 / **AK 67322**	3,0 m
211532 / **AK 67323**	5,0 m

USB micro connection cable, A to B

USB A plug <=> USB B micro plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- Color: black

211549 / **AK 67421**	2,0 m
211556 / **AK 67422**	3,0 m
211563 / **AK 67423**	5,0 m

USB micro connection cable, A to A

USB A micro plug <=> USB A micro plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- USB 2.0 compatible
- Color: black

211372 / **AK 67301**	2,0 m
211389 / **AK 67302**	3,0 m
211396 / **AK 67303**	5,0 m

USB micro connection cable, B to B

USB B micro plug <=> USB B micro plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- USB 2.0 compatible
- Color: black

211402 / **AK 67401**	2,0 m
211419 / **AK 67402**	3,0 m
211426 / **AK 67403**	5,0 m

USB micro connection cable, A to B

USB A micro plug <=> USB B micro plug
- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- USB 2.0 compatible
- Color: black

211433 / **AK 67501**	2,0 m
211440 / **AK 67502**	3,0 m
211457 / **AK 67503**	5,0 m

DIGITUS® USB detection cable, USB 1.1 & USB 2.0

- USB connection cable, USB A plug <=> USB B plug
- Extra bright LEDs show the USB 2.0 / USB 1.1 speed status by different colors
- Stylish design
- Also for service and maintenance

166184 / **DA-70750**	

DIGITUS® USB 2.0 LED cable set

- 3 Pcs. USB extension cable (green. blue, red)
- USB A plug to USB A jack length 1,5m
- Integrated color LED Light
- Compliant with USB 2.0 standard
- Included USB adapter A to B and USB A to mini 5-pin

171652 / **DC USB2-LED**	

USB mainboard adapter on slot bracket

AK 674 = 2 x USB-A female <=> 2 x 5--pin socket conn., 2.54 mm
AK 674-2/4 = 2 x USB-A female <=> 2 x 4--pin socket conn., 2.54 mm
AK 674-8 = 2 x USB-A female <=> 1 x 8--pin socket conn., 2.54 mm
AK 674-2/10 = 4 x USB-A female <=> 2 x 10--pin socket conn., (2 x 5--pin each) 2.54 mm

- 4/5-wire cable, double shielded, AWG28
- SB 2.0 compatible

064527 / **AK 674 0.3M**	0,25 m
086345 / **AK 674-2/4**	0,25 m
050865 / **AK 674-8**	0,25 m
124252 / **AK 674-2/10**	0,25 m

USB adapter, A to B

Various types, straight or angled version, molded

USB A jack <=> USB B jack
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

066866 / **A-USB-1**

USB adapter, A to B

Various types, straight or angled version, molded

USB A jack <=> USB B plug
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

066873 / **A-USB-2**

USB adapter

Various types, straight or angled version, molded

USB A plug <=> USB B jack
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

066880 / **A-USB-3**

USB adapter

Various types, straight or angled version, molded

USB A jack <=> USB A jack
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

052692 / **A-USB-4**

USB adapter, B to B

Various types, straight or angled version, molded

USB B plug <=> USB B plug
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

052739 / **A-USB-6**

USB adapter, A to A

USB A plug <=> USB A jack
- Molded housing
- USB 1.1 and USB 2.0 compatible
- Color: beige

224549 / **A-USB-7**

DIGITUS® Blister FireWire IEEE 1394A connection cable

1394A 6-pin plug <=> 1394A 6-pin plug

- Molded housing
- 6-wire cable, double shielded, AWG22/28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black
- In blisterpackage

092490 /	**DB-078074**	1,0 m
075288 /	**DB-051718**	1,8 m
092506 /	**DB-051749**	3,0 m
075295 /	**DB-051770**	5,0 m

FireWire IEEE 1394A connection cable

1394A 6-pin plug <=> 1394A 6-pin plug

- Molded housing
- 6-wire cable, double shielded, AWG22/28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black

078074 /	**AK-1394-10**	1,0 m
051718 /	**AK-1394-18**	1,8 m
051749 /	**AK-1394-30**	3,0 m
051770 /	**AK-1394-50**	5,0 m

DIGITUS® Blister FireWire IEEE 1394A connection cable

1394A 4-pin plug <=> 1394A 6-pin plug

- Molded housing
- 6-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black
- In blisterpackage

092483 /	**DB-078081**	1,0 m
074335 /	**DB-051725**	1,8 m
092414 /	**DB-051756**	3,0 m
092353 /	**DB-051787**	5,0 m

FireWire IEEE 1394A connection cable

1394A 4-pin plug <=> 1394A 6-pin plug

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black

078081 /	**AK-1394-104**	1,0 m
051725 /	**AK-1394-184**	1,8 m
051756 /	**AK-1394-304**	3,0 m
051787 /	**AK-1394-504**	5,0 m

DIGITUS® Blister FireWire IEEE 1394A connection cable

1394A 4-pin plug <=> 1394A 4-pin plug

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black
- In blisterpackage

092476 /	**DB-078098**	1,0 m
075301 /	**DB-051732**	1,8 m
092513 /	**DB-051763**	3,0 m
092360 /	**DB-051794**	5,0 m

FireWire IEEE 1394A connection cable

1394A 4-pin plug <=> 1394A 4-pin plug

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Color: black

078098 /	**AK-1394-1044**	1,0 m
051732 /	**AK-1394-1844**	1,8 m
051763 /	**AK-1394-3044**	3,0 m
051794 /	**AK-1394-5044**	5,0 m

FireWire 800 IEEE 1394B connection cable

1394B 9-pin plug <=> 1394B 9-pin plug
- Molded housing
- 6-wire cable, double shielded, AWG22/25
- UL20276 and IEEE 1394B compatible
- The maximum data transfer rate is 800 Mbps
- Color: black

142164 / **AK-1394B-10**	1,0 m
142171 / **AK-1394B-18**	1,8 m
142188 / **AK-1394B-30**	3,0 m
142195 / **AK-1394B-50**	5,0 m

FireWire 800 IEEE 1394B connection cable

1394B 9-pin plug <=> 1394B 4-pin plug
- Molded housing
- 4-wire cable, double shielded, AWG26/30
- UL20276 and IEEE 1394B compatible
- The maximum data transfer rate is 800 Mbps
- Color: black

142249 / **AK-1394B-104**	1,0 m
142256 / **AK-1394B-184**	1,8 m
142263 / **AK-1394B-304**	3,0 m
142270 / **AK-1394B-504**	5,0 m

Firewire 800 IEEE 1394B connection cable

1394B 9-pin plug <=> 1394B 6-pin plug
- Molded housing
- 6-wire cable, double shielded, AWG26/30
- UL20276 and IEEE 1394B compatible
- The maximum data transfer rate is 800 Mbps
- Color: black

142201 / **AK-1394B-106**	1,0 m
142218 / **AK-1394B-186**	1,8 m
142225 / **AK-1394B-306**	3,0 m
142232 / **AK-1394B-506**	5,0 m

FireWire IEEE 1394A adapter

AB-1394-1: 1394A 6-pin jack <=> 1394A 4-pin plug
AB-1394-7: 1394A 6-pin jack <=> 1394A 4-pin jack

- Molded housing
- IEEE 1394A compatible
- Color: black

076162 / **AB-1394-1**	
118053 / **AB-1394-7**	

FireWire IEEE 1394A adapter

AB-1394-4: 1394A 4-pin plug <=> 1394A 4-pin plug
AB-1394-5: 1394A 4-pin jack <=> 1394A 4-pin jack

- Molded housing
- IEEE 1394A compatible
- Color: black

118015 / **AB-1394-4**	
118039 / **AB-1394-5**	

FireWire IEEE 1394A adapter

AB-1394-2: 1394A 6-pin jack <=> 1394A 6-pin jack
AB-1394-3: 1394A 6-pin jack <=> 1394A 6-pin jack, crossover

- Molded housing
- IEEE 1394A compatible
- Color: black

076179 / **AB-1394-2**	
117995 / **AB-1394-3**	

CPU cooler connector cable

adapter for connection of CPU fans with 3-pin connectors directly to the ATX/AT power supply. Particularly suited for PCs, with mainboards (AT) that have no direct connection for a CPU fan.

3-pin CPU fan, plug <=> 1x 5.25“ plug and 1x 5.25“ jack

093640 / **AK 53P4P**

DIGITUS® Blister internal Y-Power supply cable

5.25” plug <=> 2x 5.25” jack

- In blisterpackage

074175 / **DB-063117** 0,2 m



Internal Y-power supply cable

5.25” plug <=> 2x 5.25” jack

063117 / **AK 319 0,20M** 0,2 m

Internal Y-power supply cable

5.25“ plug <=> 5.25“ jack + 3.5“ jack

063933 / **AK 521 0,2M** 0,20 m



Internal Y-power supply cable

5.25“ plug <=> 2x 3.5“ jack

063926 / **AK 520 0,2M** 0,20 m



Internal ATX to ATX / Pentium IV power supply cable

12V power supply

2x 5,25“ plug / jack <=> 4-pin mainboard P-IV

095996 / **AK ATX-P4** 0,20 m

ATX extension cable

This cable extends the ATX power supply cable of the ATX power supply by 20 cm.

ATX 20-pin plug <=> ATX 20-pin jack

051183 / **AK ATX-EXT** 0,20 m

ATX-AT power supply cable

With this cable, you can use AT mainboards with PS2/AT connections in cases with ATX power supplies. All required connections are bypassed to fit only in the correct position.

ATX 20-pin plug <=> P8 + P9 jack, each 6-pin

051176 / **AK ATX-AT** 0,20 m

Internal PCI power supply cable

With this cable, you can connect a PCI graphic card to a power supply. All required connections are bypassed to fit only in the correct position.

2x 5,25“ 3-pin plug<=> 6-pin graphic card plug

221241 / **AK PCI-P6** 0,20 m

DIGITUS® Blister ATX to BTX cable set

1x BTX plug 24-pin <=> ATX jack 20-pin1x ATX 12V plug 8-pin, 4.2 pitch <=> 4-pin plug, 4.2 pitch cable
- Cable length 0.2 m
- In blisterpackage



175780 / **DB-174004** 0,2 m

ATX to BTX cable Set

1x BTX plug 24-pin <=> ATX jack 20-pin1x ATX 12V plug 8-pin., 4.2 pitch <=> jack 4-pin, 4.2 pitch cable
- Cable length 0.2 m

174004 / **AK ATX-ADAP** 0,2 m

DIGITUS® Blister BTX to ATX cable

1x BTX jack 24-pin <=> ATX plug 20-pin
- Cable length 0.2 m
- In blisterpackage

185888 / **DB-183761** 0,2 m



BTX to ATX cable

1x BTX jack 24-pin <=> ATX plug 20-pin
- Cable length 0.2 m

183761 / **AK ATX-ADAP2** 0,2 m

DIGITUS® Blister SATA power supply cable

- 15-pin SATA jack for power supply
- 4-pin ATX jack for power supply
- In Blisterpackage

131939 / **DB-129653** 0,15 m

SATA power supply cable

- 15-pin SATA jack for power supply
- 4-pin ATX jack for power supply

129653 / **AK-SATA-PC 015** 0,15 m

DIGITUS® Blister CD-ROM audio connection cable

4-pin jack, 2.54 mm <=> 4-pin jack, 2.54 mm
- 3-wire cable
- Assignment: 1-4, 3-2, 4-1
- UL2547
- In blisterpackage

113751 / **DB-050087** 0,5 m

CD-ROM audio connection cable

4-pin jack, 2.54 mm <=> 4-pin jack, 2.54 mm
- 3-wire cable
- Assignment: 1-4, 3-2, 4-1
- UL2547

050087 / **AK 2525** 0,5 m

DIGITUS® Blister power supply cable

cable cross section:
DB-063803 + DB-063865 = 3x 0,75 qmm

Schuko power supply plug angled <=> IEC jack straight
- Cable H05VV F3G 0.75qmm (250V / 10A)
- Plug according CEE 7-VII
- Connector according EN 320-C13
- VDE tested, with double safety contact
- Color: black
- In blisterpackage



074199 / **DB-063803**	1,8 m
207986 / **DB-063865**	2,5 m

Power supply cable

cable cross section:
AK 501 2M + AK 504 2,5M = 3x 0,75 qmm
AK 522 = 3x 1,00 qmm qmm

Schuko power supply plug angled <=> IEC jack straight
- Cable H05VV F3G 0.75qmm (250V / 10A)
- Plug according CEE 7-VII
- Connector according EN 320-C13
- VDE tested, with double safety contact
- Color: black

063803 / **AK 501 2M**	1,8 m
063865 / **AK 504 2,5M**	2,5 m
083498 / **AK 522**	5,0 m

Power supply cable

Schuko power plug straight <=> IEC jack straight
- Plug according CEE 7-VII
- Connector according EN 320-C13
- cabel:H05 VV-F 3G 0,75mm² (250V, 10A)
- VDE tested, 10 /16 A, 250V, with double safety contact
- Color: black

064060 / **AK 533 2M**	2,0 m

Power supply cable

Schuko power supply plug angled <=> IEC jack angled
- Cable H05VV F3G 0.75qmm (250V / 10A)
- Plug according CEE 7-VII
- Connector according EN 320-C13
- VDE tested, with double safety contact
- Color: black

064077 / **AK 535 2M**	2,0 m

Power supply cable

Also available for USA, UK, Italy and Switzerland

Schuko power supply plug angled <=> IEC jack straight
- Cable H05VV F3G 0.75qmm (250V / 10A)
- Plug according CEE 7-VII
- Connector according EN 60320 CS
- VDE tested, with double safety contact
- Color: black

004257 / **AK 524 2M**	2,0 m

Y-power supply cable

For power supply to two devices with via one socket.

Schuko power supply plug angled <=> 2x IEC jack straight
- Cable H05VV F3G 0.75qmm and 1,00qmm (250V / 10A)
- Plug according CEE 7-VII
- Connector according EN 320-C13
- VDE tested
- Color: black

063872 / **AK 505/Y-G**	1,7 m

DIGITUS® Blister power supply cable

IEC plug straight <=> IEC jack straight
- Cable H05VV F3G (250V / 10A)
- Plug according EN 320-C14
- Connector according EN 320-C13
- VDE tested, with double safety contact
- Color: black
- In blisterpackage

074878 / **DB-063858** 1,8 m

Power supply extension cable

IEC plug straight <=> IEC jack straight
- Cable H05VV F3G (250V / 10A)
- Plug according EN 320-C14
- Connector according EN 320-C13
- VDE tested, with double safety contact
- Color: black

063858 / **AK 503 2M** 2,0 m
073666 / **AK 503 5M** 5,0 m

Y-power supply cable

IEC plug straight <=> 2x IEC jack straight
- Cable H05VV F3G 0.75qmm and 1,00qmm (250V / 10A)
- Plug according EN 320-C14
- Connector according EN 320-C13
- VDE tested
- Color: black

050551 / **AK 555/Y-G** 1,7 m

Power supply cable

Euro plug <=> Euro 8 jack
- Cable: H03 VV H2-F2x 0,75mm² (250V, 2,5A)
- Plug according EN 50 075
- Connector „8-Type“ according to EN 60 320 C7
- VDE tested
- Color: black

063841 / **AK 502 2M** 1,8 m

Power supply cable UK

UK power plug angled <=> IEC jack straight
- Cabel: H05 VVH 2-F 2x 0,75qmm (250V / 2,5A)
- UK plug 3-pin, BS 1363
- Connector „8-Type“ according to EN 60 320 C7
- Integrated 3A fuse
- Color: black

057307 / **AK 502-UK** 1,8 m

Power supply cable UK

UKpower plug angled <=> IEC jack straight
- Cabel: H05VV F3G 3x 1.00qmm (250V / 10A)
- UK plug 3-pin, BS 1363
- IEC jack according to EN 60 320 C13
- Integrated 10A fuse
- Color: black

063827 / **AK 501-UK 2M** 1,8 m

RCA connection cable, mono

RCA plug <=> RCA plug
- Molded housing
- Cable CCS, shielded
- Plug colour: white
- Cable color: black

109914 / **AK-AV 200**	1,5 m
109921 / **AK-AV 201**	2,5 m

RCA extension cable, mono

RCA plug <=> RCA jack
- Molded housing
- Cable CCS, shielded
- Plug colour: white
- Cable color: black

109938 / **AK-AV 202**	2,5 m

RCA connection cable, stereo

2x RCA plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded
- Plug colour: white/red, cable colour: black

226840 / **AK-101002**	0,75 m
109945 / **AK CHMM-015**	1,5 m
109952 / **AK CHMM-025**	2,5 m
109969 / **AK CHMM-50**	5,0 m
226864 / **AK-101008**	10,0 m

RCA extension cable, stereo

2x RCA plug <=> 2x RCA jack
- Molded housing
- Cable CCS, shielded
- Plug colour: white/red
- Cable color: black

109990 / **AK CHMF-015**	1,5 m
110002 / **AK CHMF-025**	2,5 m
110019 / **AK CHMF-050**	5,0 m
190271 / **AK CHMF-100**	10,0 m

RCA connection cable, stereo

2x RCA plug <=> 2x RCA plug + 2x RCA jack (family plug)
- Molded housing
- Cable CCS, shielded
- Plug colour: white/red
- Cable color: black

226871 / **AK-101011**	0,75 m
109976 / **AK-AV 206**	1,5 m

RCA extension cable, mono

RCA plug <=> 2x RCA jack
- Molded housing
- Cable CCS, shielded
- Plug colour: black/red
- Cable color: black

227069 / **AK-101024**	0,2 m

RCA extension cable, mono

extension cable

2x RCA plug <=> RCA jack
- Molded housing
- Cable CCS, shielded
- Plug colour: black/red
- Cable color: black

227106 /	**AK-101025**	0,2 m

RCA connection cable, mono

connection cable

RCA plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded
- Plug colour: black/red
- Cable color: black

227151 /	**AK-101026**	1,5 m

DIGITUS® Blister audio adapter cable, stereo

3.5mm stereo plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded
- RCA plug colour: white/red

118961 /	**DB-109891**	1,5 m
078845 /	**DB-062981**	2,0 m
118985 /	**DB-110224**	2,5 m
119005 /	**DB-110231**	5,0 m
134503 /	**DB-003977**	10,0 m

Audio connection cable, stereo

3.5mm stereo plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded
- RCA plug colour: white/red

109891 /	**AK 243-015**	1,5 m
062981 /	**AK 243**	2,0 m
110224 /	**AK 243-025**	2,5 m
110231 /	**AK 243-050**	5,0 m
003977 /	**AK 243 10M**	10,0 m

Audio connection cable, stereo

Link cable

6.3mm stereo plug <=> 2x RCA plug
- Molded housing
- Cable CCS, shielded
- RCA plug colour: white/red
- 6.3 plug colour: black
- Cable color: black

227014 /	**AK-102029**	1,5 m

Audio extension cable, stereo

3.5mm stereo plug <=> 2x RCA jack
- Molded housing
- Cable CCS, shielded
- RCA plug colour: white/red
- 3.5 plug colour: black
- Cable color: black

226918 /	**AK-102001**	0,2 m
109976 /	**AK-AV 206**	1,5 m

Audio adapter cable, stereo

Link cable with family plug

3.5mm stereo plug <=> 2x RCA plug + 2x RCA jack (family plug)
- Molded housing
- Cable CCS, shielded
- RCA plug colour: white/red
- 3.5 plug colour: black, cable colour: black
- Klinkensteckerfarbe: Schwarz
- Kabelfarbe: Schwarz

226925 / **AK-102008**	1,5 m
226932 / **AK-102009**	3,0 m
226963 / **AK-102010**	5,0 m

Audio connection cable, stereo

3.5mm stereo plug <=> 3.5mm stereo plug
- Molded housing
- Cable CCS, shielded
- Color: black

109884 / **AK-AV 100**	1,5 m
050056 / **AK 203/MM**	2,0 m

Audio connection cable, stereo, with 90° angled plugs

connection cable with 90° angled plugs

3.5mm stereo plug <=> 2.5mm stereo plug
- Molded housing, 90° angled
- Cable CCS, shielded
- Color: black

226970 / **AK-102018**	2,5 m
226987 / **AK-102019**	5,0 m

DIGITUS® Blister audio extension cable, stereo

3.5mm stereo plug <=> 3.5mm stereo jack
- Molded housing
- Cable CCS, shielded
- Color: black
- In Blisterpackage

078869 / **DB-062943**	3,0 m

Audio extension cable, stereo

3.5mm stereo plug <=> 3.5mm stereo jack
- Molded housing
- Cable CCS, shielded
- Color: black

226994 / **AK-102023**	1,5m
062943 / **AK 203 2,5M**	3,0 m
227007 / **AK-102027**	5,0 m

Audio extension cable, stereo

extension cable

6.3mm stereo plug <=> 6.3mm stereo jack
- Molded housing
- Cable CCS, shielded
- Color: black

227038 / **AK-102032**	1,5 m
227045 / **AK-102033**	2,5 m
227052 / **AK-102034**	5,0 m

Audio Y-splitter cable, stereo

3.5mm stereo plug <=> 2x 3.5mm stereo jack
- Molded housing
- Cable CCS, shielded
- Color: black

227021 / **AK-102030** 0,2 m

Midi interface cable

DIN 5-pin plug <=> DIN 5-pin plug
- Molded housing
- 5-wire cable, shielded
- Assignment 1:1
- Color: beige

063056 / **AK 304 2M** 2,0 m

Loudspeaker installation cable, transparent

cable cross section:
AK-AV 400 = 1.5qmm
AK-AV 401 = 2.5qmm

- 2-wire cable, CU, unshielded, PVC jacket
- Length: 100m on spool
- Color: transparent

110217 / **AK-AV 400**
110767 / **AK-AV 401**

Audio adapter, stereo

2,5mm stereo plug <=> 3,5mm stereo jack
- Molded housing
- Color: black

192084 / **AB-AV 108**

Audio adapter

AB-AV 101 = 3.5mm mono plug <=> 6.3mm stereo jack
AB-AV 103 = 3.5mm stereo plug <=> 6.3mm stereo jack

- Molded housing
- Color: black

110101 / **AB-AV 101**
110125 / **AB-AV 103**

DIGITUS® Blister audio adapter, mono

DB-110095 = 6.3mm mono plug <=> RCA jack
DB-110118 = 3.5mm mono plug <=> RCA jack

- Molded housing
- Color: black
- In blisterpackage

148913 / **DB-110095**
148920 / **DB-110118**

Audio adapter, mono

AB-AV 100 = 6.3mm mono plug <=> RCA jack
AB-AV 102 = 3.5mm mono plug <=> RCA jack

- Molded housing
- Color: black

110095 / **AB-AV 100**
110118 / **AB-AV 102**

DIGITUS® Blister audio adapter, stereo

DB-110132 = 6.3mm stereo plug <=> 2x 3.5mm stereo jack
DB-110149 = 3.5mm stereo plug <=> 2x 3.5mm stereo jack

- Molded housing
- Color: black
- In blisterpackage

130147 / **DB-110132**
125235 / **DB-110149**

Audio adapter

AB-AV 104 = 6.3mm stereo plug <=> 2x 3.5mm stereo jack
AB-AV 105 = 3.5mm stereo plug <=> 2x 3.5mm stereo jack
AK-402013 = 6.3mm stereo plug <=> 2x 6.3mm stereo jack

- Molded housing
- Color: black

110132 / **AB-AV 104**
110149 / **AB-AV 105**
227601 / **AK-402013**

Audio adapter

3.5mm plug <=> 2x RCA jack
- Molded housing
- Color: black

110156 / **AB-AV 106**

Audio adapter, mono

3.5mm mono plug <=> 6.3mm mono jack
- Molded housing
- Color: black

110163 / **AB-AV 107**

Audio adapter, stereo

6.3mm stereo plug<=> 2x RCA jack
- Molded housing
- Color: black

227595 / **AK-402012**

Audio adapter, mono

RCA plug <=> 6.3mm mono jack
- Molded housing
- Color: black

110170 / **AB-AV 200**

Audio adapter, mono

RCA plug <=> 2x RCA jack
- Molded housing
- Color: black

110187 / **AB-AV 201**

RCA adapter, mono

RCA jack <=> 2x RCA jack
- Molded housing
- Color: black

227533 / **AK-402008**

RCA adapter, mono

RCA jack <=> RCA jack
- Molded housing
- Color: black

227540 / **AK-402009**

RCA adapter, stereo

2x RCA jack <=> 2x RCA jack
- Molded housing
- Color: black

227557 / **AK-402010**

Scart connection cable

connection cable

Scart 21-pin plug <=> Scart 21-pin plug
- Plastic housing
- Cable CCS, single shielded
- Color: black

227304 / **AK-107001**	0,75 m
083290 / **AK 390**	1,5 m
227311 / **AK-107004**	3,0 m

DIGITUS® Blister scart connection cable

Scart 21-pin plug <=> Scart 21-pin plug
- Plastic housing
- Cable CCS, double shielded
- Color: black
- In blisterpackage

094562 / **DB-083320**	1,5 m
094555 / **DB-083344**	2,5 m

Scart connection cable

Scart 21-pin plug <=> Scart 21-pin plug
- Plastic housing
- Cable CCS, double shielded
- Color: black
-

083320 / **AK 313**	1,5 m
083344 / **AK 315**	2,5 m
227335 / **AK-107016**	5,0 m

Scart Flat connection cable

The cable is highly flexible and well eligible for use at angular places.

Scart 21-pin plug <=> Scart 21-pin plug
- Plastic housing
- Cable CCS, single shielded
- Color: black

227342 / **AK-107030**	1,0 m
227359 / **AK-107031**	2,0 m

Scart splitter cable

Signal direction Scart plug -> 2x Scart jack

Scart 21-pin plug <=> 2x Scart 21-pin jack
- Molded housing
- Cable CCS, single shielded
- Color: black

227366 / **AK-507001**	0,4 m
083467 / **AB 316**	1,5 m

Scart splitter cable

Signal direction Scart plug -> 3x Scart jack

Scart 21-pin plug <=> 3x Scart 21-pin jack
- Molded housing
- Cable CCS, single shielded
- Color: black
-

227458 / **AK-507004**	0,4 m

Scart - RCA connection cable with switch

connection cable with In/Out switch to choose the signal direction.

Scart 21-pin plug <=> 3x RCA plug, Video + Audio/Stereo
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: white, red, yellow
- Scart plug colour: black
- Cable color: black

227380 / **AK-107037** 1,5 m
227397 / **AK-107038** 5,0 m

Scart - RCA connection cable

Signal direction RCA -> Scart

Scart 21 -pin plug <> 3x RCA plug, video + audio/stereo
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: white, red, yellow
- Scart plug colour: black
- Cable color: black

083375 / **AK 392** 1,5 m
227373 / **AK-107036** 5,0 m

Scart - RCA connection cable

Signal direction Scart -> RCA
This cable is suited, for example, to connect an AV receiver to a stereo unit.

Scart 21-pin plug <=> 2x RCA plug, Audio/Stereo
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: white, red
- Scart plug colour: black
- Cable color: black

227403 / **AK-107039** 2,0 m

Scart - RCA connection cable

Signal direction Scart -> RCA

Scart 21-pin plug <=> 6x RCA plug, Video + Audio/Stereo
- 2x Video (In/Out) + 4x Audio/Stereo (In/Out)
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: 2x white, red, yellow
- Scart plug colour: black
- Cable color: black

083405 / **AK 393** 1,5 m

Scart - RCA/S-VHS connection cable

Signal direction Scart -> RCA / S-VHS

Scart 21-pin plug <=> 2 RCA plug, Audio/Stereo + S-VHS plug
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: white, red
- Scart / S-VHS plug colour: black
- Cable color: black

227427 / **AK-107043** 0,5 m

Scart - RCA/S-VHS connection cable

Signal direction RCA/S-VHS -> Scart
The cable is suited, for example, to connect a video camera with the television.

Scart 21-pin plug <=> 2 RCA plug, Audio/Stereo + S-VHS plug
- Plastic housing
- Cable CCS, single shielded
- RCA plug colour: white, red
- Scart / S-VHS plug colour: black
- Cable color: black

227434 / **AK-107045** 0,5 m

DIGITUS® Blister S-VHS connection cable

MiniDIN4-pin plug <> MiniDIN4-pin plug
- Molded housing
- Cable CCS, single shielded
- Color: black
- In blisterpackage

119043 / **DB-106135**	1,5 m

S-VHS connection cable

connection cable

MiniDIN 4-pin plug <> MiniDIN 4-pin plug
- Molded housing
- Cable CCS, single shielded
- Color: black

106135 / **AK 395-15**	1,5 m
086260 / **AK 395**	2,0 m
106142 / **AK 395-50**	5,0 m
106159 / **AK 395-100**	10,0 m

Video connection cable

The cable suited, for example, to connect Sony, JVC and Canon Video cameras to a Television.

4-pin Stereo 3.5mm plug <=> 3x RCA plug (2x Audio/1x Video)
- Molded housing
- Cable CCS, single shielded
- Color: black

227441 / **AK-102036**	2,0 m

DIGITUS® Blister Scart - RCA/S-VHS adapter with switch, premium

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN4-pin jack (S-VHS)
- IN/OUT switch
- Gold plated
- metallic housing
- In blisterpackage

113614 / **DB-110750**	

Scart - RCA/S-VHS adapter with switch, premium

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN 4-pin jack (S-VHS)
- IN/OUT switch
- Gold plated
- metallic housing

110750 / **AB-AV 500**	

Scart - RCA/S-VHS adapter with switch

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN4-pin jack (S-VHS)
- IN/OUT switch
- Plastic housing
- Color: black

115601 / **AB-AV 500LC**	

Scart - RCA/S-VHS adapter

Signal direction RCA/S-VHS -> Scart

Scart 21-pin plug <=> 3x Cinch jack + S-VHS jack
- Plastic housing
- Color: black

227472 / **AK-407004**

Scart - RCA/S-VHS adapter

Signal direction Scart -> RCA/S-VHS

Scart 21-pin plug <=> 3x Cinch jack + S-VHS jack
- Plastic housing
- Color: black

227489 / **AK-407005**

Scart - Cinch adapter

Signal direction Scart -> RCA

Scart 21-pin plug <=> 3x RCA jack
- Plastic housing
- Color: black

083450 / **AB 315**

Scart - RCA adapter

Signal direction RCA -> Scart

Scart 21-pin plug <=> 3x RCA jack
- Plastic housing
- Color: black

227496 / **AK-407007**

Scart - RCA adapter with switch

With I/O switch to choose the signal direction.

Scart 21-pin plug <=> 3x RCA jack
- IN/OUT switch
- Plastic housing
- Color: black

227502 / **AK-407008**

S-VHS adapter

S-VHS jack <=> S-VHS jack
- Molded housing
- Color: black

227519 / **AK-409001**

S-VHS - RCA adapter

S-VHS jack <=> RCA plug
- Molded housing
- Color: black

227526 / **AK-409002**

Scart switchbox, 2-fold

Connection of 2 video sources to one TV / monitor
- 3x Scart jack
- 1x manual switch for switching between the inputs.
- 1x output for TV / monitor.
- 2x input for video recorder, camera or satellite receiver
- Alternating dubbing option between the two inputs.
- S-VHS replay possible through one input.
- Color: black

131830 / **AB-AV 501**

Scart switchbox with cable

With switch for choosing of the device to be headed.
Signal direction Scart plug -> 2x Scart jack

Scart 21-pin plug <=> 2x Scart jack
- Plastic housing
- Cable CCS, single shielded
- Color: silver

227465 / **AK-507006** 0,4 m

Scart + audio switch panel, 3-fold

Connection of 3 video sources to one TV / monitor
- VHS, S-VHS, Video 8 and HI 8 compatible
- Input RGB signal switchable
- Scart and cinch (video, audio L/R) output for monitor / TV connection
- Dubbing option between the inputs (1-2, 1-3)
- monitor function (cinch: video, audio L/R) for direct observation of the recording
- 4 x Scart female
- 6 x Cinch female
- Color: black

131854 / **AB-AV 502**

Scart + audio switch panel, 3-fold

Connection of 3 video sources to one TV / monitor
- VHS, S-VHS, Video 8 and HI 8 compatible
- Input RGB signal switchable
- Scart and cinch (video, audio L/R) output for monitor / TV connection
- Dubbing option between the inputs (1-2, 1-3)
- monitor function (cinch: video, audio L/R) for direct observation of the recording
- 4 x Scart female
- 6 x Cinch female
- Color: black

189497 / **AB-AV 502-SI**

TV coaxial connection cable, 75 Ohm

IEC 9.5mm plug straight <=> IEC 9.5mm jack straight

- Inner conductor: CU bare 0.5mm
- 1st shielding: doubled AL foil
- 2nd shielding: CU braid 64x0,12
- Shielding attenuation: 90dB
- Color: white

141815 / **AK-TVSB-001-S**	1,0 m
141822 / **AK-TVSB-002-S**	2,5 m
141839 / **AK-TVSB-005-S**	5,0 m
141846 / **AK-TVSB-010-S**	10,0 m

TV coaxial connection cable, 75 Ohm

IEC 9.5mm plug straight <=> IEC 9.5mm jack angled

- Inner conductor: CU bare 0.5mm
- 1st shielding: doubled AL foil
- 2nd shielding: CU braid 64x0,12
- Shielding attenuation: 90dB
- Color: white

141778 / **AK-TVSBW-001-S**	1,5 m
141785 / **AK-TVSBW-002-S**	2,5 m
141792 / **AK-TVSBW-005-S**	5,0 m
141808 / **AK-TVSBW-010-S**	10,0 m

TV coaxial raw cable, 75 Ohm

Attenuation at 20°C in dB/100m (in average):

100 MHz - 7,0 dB	1000 MHz - 25,0 dB
200 MHz - 10,6 dB	1350 MHz - 30,8 dB
300 MHz - 12,3 dB	1750 MHz - 34,5 dB
500 MHz - 16,5 dB	2050 MHz - 38,5 dB
800 MHz - 22,2 dB	

- Jacket material: PVC
- Jacket diameter: 6,6mm
- Inner conductor: CU 0,7mm
- Insulation: PE 4,4mm
- 1st shielding: AL foil double-lined
- 2nd shielding: CU braid 48x 0.12mm
- Shielding attenuation: 80dB

141853 / **AK-TV066-025-S**	25,0 m
141877 / **AK-TV066-100-S**	100,0 m

SAT coaxial antenna connection cable, 75 OHM

F-plug straight <=> F-plug straight

- Inner conductor: CU bare 1.1mm
- 1st shielding: doubled AL foil
- 2nd shielding: CU braid 64x 0.12mm
- Shielding attenuation: 90dB
- Color: white

141730 / **AK-SAT-001-S**	1,5 m
141747 / **AK-SAT-002-S**	2,5 m
141754 / **AK-SAT-005-S**	5,0 m
141761 / **AK-SAT-010-S**	10,0 m

SAT coaxial raw cable 75 Ohm

Attenuation at 20 °C in dB/100m (in avarage):

100 MHz - 5,9 dB	1000 MHz - 19,8 dB
200 MHz - 7,9 dB	1350 MHz - 23,9 dB
300 MHz - 10,0 dB	1750 MHz - 26,9 dB
500 MHz - 13,6 dB	2050 MHz - 30,8 dB
800 MHz - 17,4 dB	

- Jacket material: PVC
- Jacket diameter: 6,8mm
- Inner conductor: CU 1,1mm
- Insulation: Cell PE 5,0mm
- 1st shielding: AL foil double-lined
- 2nd shielding: CU braid 64x 0.12mm
- Shielding attenuation: 85dB
- Ringpacked, colour: white

141709 / **AK-SAT068-025-S**	25,0 m
141716 / **AK-SAT068-050-S**	50,0 m
141723 / **AK-SAT068-100-S**	100,0 m

coaxial plug, 9.5 mm

- Plastic housing
- Shielding attenuation: 75 dB
- Screwable
- Straight design
- Color: white

141952 / **A-TVSG-S**	

coaxial plug, 9.5 mm

A-TVSG: Straight design
A-TVSW: Angled design

- Plastic housing
- Shielding attenuation: 75 dB
- Screwable
- Color: white

141921 / **A-TVBG-S**
141938 / **A-TVBW-S**

coaxial cable connector

- Plastic housing
- Shielding attenuation: 75 dB unshielded
- Color: white

141945 / **A-TVKV-S**

F-Plug, 6.8 mm

- Plug length 20 mm, milled version.
- Cable diameter: 6,8 mm
- Twist-on diameter: 6.57 mm
- Dielectric diameter: 4.80 mm
- Without rings
- Nickel plated design

141891 / **A-SATS-068-S**

F-Socket

- F-Socket <=> F-Socket

141884 / **A-SATKV-BB-S**

Water Protection Cap

A-SAT-WS: Water protection for F male, rubber boot

141907 / **A-SAT-WS-S**

DIGITUS® Blister TAE connection cable, N coded, german pin assignment

TAE plug, N coded <=> Modular plug 6P4C
- 1 - 6 / 2 - 5 bridged (Germany)
- 2-wire cable
- Color: black
- In blisterpackage

114338 /	**DB-058229**	3,0 m
114178 /	**DB-082163**	6,0 m
078050 /	**DB-066507**	10,0 m

TAE connection cable, N coded, german pin assignment

TAE plug, N coded <=> Modular plug 6P4C
- Plastic housing
- 1 - 6 / 2 - 5 bridged (Germany)
- 2-wire cable
- Color: black

058229 /	**AT-35023**	3,0 m
082163 /	**AT-35024**	6,0 m
066507 /	**AT-35025**	10,0 m

TAE connection cable, F coded, german pin assignment

TAE plug, F coded <=> Modular plug 6P4C
- Plastic housing
- German -pin allocation 1-5, 2-2, 3-4, 4-3
- 4-wire cable
- Color: black

004455 /	**AK TAE-F03**	3,0 m
051558 /	**AK TAE-F06**	6,0 m
051572 /	**AK TAE-F10**	10,0 m

TAE connection cable, N coded, german pin assignment

TAE plug, N coded <=> Modular plug 6P4C
- Plastic housing
- German -pin allocation 1-4, 2-3, 5-2, 6-5
- 4-wire cable
- Color: black

051619 /	**AK TAE-N03**	3,0 m
051626 /	**AK TAE-N06**	6,0 m
051633 /	**AK TAE-N10**	10,0 m
051640 /	**AK TAE-N15**	15,0 m

TAE extension cable, F coded

TAE N plug <=> TAE N jack
- Plastic housing
- Pin allocation 1-1, 2-2, 3-3, 4-4
- 4-wire cable
- Color: black

051374 /	**AK FF03**	3,0 m
051381 /	**AK FF06**	6,0 m
051398 /	**AK FF10**	10,0 m

TAE extension cable, F coded

TAE N plug <=> TAE N jack
- Plastic housing
- Pin allocation 1-1, 2-2, 3-3, 4-4
- 4-wire cable
- Color: black

218319 /	**AK NN03**	
051466 /	**AK NN06**	6,0 m
051473 /	**AK NN10**	10,0 m

TAE Splitterbox with cable, NFN

TAE F plug <=> 2x N + 1x F jack
- Plastic housing
- 4-wire cable
- Color: white



051411 / **AK NFN002**	0,2 m
051428 / **AK NFN03**	3,0 m

Modular flat cable

- Modular cable unshielded, AWG 26
- flat cable with 4, 6 or 8 wires (D-shape)
- 100m per reel
- Color: black with colour coded wires
- Other length per reel, versions and colours on request

066767 / **AT-K 1801 100M**	4-wire
186472 / **AT-K 1802 100M-1**	6-wired
066781 / **AT-K 1803 100M**	8-adrig

Telephone anti twist

Prevents twisting of the telephone cable, allowing maximum comfort while on the telephone.

- RJ11 plug <=> Modular jack, 4P4C

130222 / **AB-TWSTP/B**	

DIGITUS® Blister Printer connection cable, premium parallel

extension cable, parallel
D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- 25-wire cable, single shielded, AWG28
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234005 / **DB-229223**	229223 / **DK-113001**
3,0m	234036 / **DB-229247**	229247 / **DK-113002**
5,0m	234050 / **DB-229254**	229254 / **DK-113003**
10,0m	234074 / **DB-229261**	229261 / **DK-113004**

DIGITUS® Blister Serial / parallel extension cable, premium

For 25--pin interfaces
D-Sub 25-pin plug <=> D-Sub 25-pin jack
- Molded housing
- 25-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Plug colour: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234098 / **DB-229278**	229278 / **DK-113005**
3,0m	234111 / **DB-229285**	229285 / **DK-113006**
5,0m	234135 / **DB-229292**	229292 / **DK-113007**



DIGITUS® Blister Serial / parallel connection cable, premium

For 25--pin Interfaces
D-Sub 25-pin plug <=> D-Sub 25-pin plug
- Molded plugs
- 25-wire cable, single shielded, AWG28
- Assignment 1:1
- Color: black/grey
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234548 / **DB-229308**	229308 / **DK-113008**

DIGITUS® Blister Printer connection cable, premium serial

connection cable, serial
D-Sub 9-pin jack <=> D-Sub 25-pin plug
- Snap hoods
- 8-wire cable, single shielded, AWG28
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
3,0m	234586 / **DB-229322**	229322 / **DK-113010**



DIGITUS® Blister Printer connection cable, premium IEEE 1284 bidirectional

bidirectional connection cable
D-Sub 25-pin plug <=> CENT 36-pin plug
- Molded housing
- UL20276, Twisted Pair cable, double shielded, AWG28
- Assignment as per IEEE 1284, supports EPP interfaces
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	234609 / **DB-229339**	229339 / **DK-113011**
3,0m	234623 / **DB-229346**	229346 / **DK-113012**

DIGITUS® Blister Printer extension cable, premium IEEE 1284 bidirectional

bidirectional extension cable

D-Sub 25-pin plug <=> D-Sub 25-pin jack

- Molded housing
- UL20276, Twisted Pair cable, double shielded, AWG28
- Assignment as per IEEE 1284, supports EPP interfaces
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	234647 / **DB-229353**	229353 / **DK-113013**

DIGITUS® Blister Zero-modem cable, premium

DB-229360 = D-Sub 9-pin jack <=> D-Sub 25-pin plug
DB-229445 = D-Sub 9-pin jack <=> D-Sub 25-pin jack

- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment: 1-8, 2-2, 3-3, 4-6, 5-7, 6-20, 7-5, 8-4, 9-22, S-S
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
3,0m	234609 / **DB-229339**	229360 / **DK-113014**
3,0m	234685 / **DB-229445**	229445 / **DK-113015**

DIGITUS® Blister Zero-modem cable AT, premium

Zero-modem cable (AT)

D-Sub 9-pin jack <=> D-Sub 25-pin plug

- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment: 1-8, 2-3, 3-2, 4-20, 5-7, 6-6, 7-4, 8-5, 9-22, S-S
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234746 / **DB-229391**	229391 / **DK-113018**

DIGITUS® Blister Serial Doublehead Datatransfer cable, premium

Data Transfer cable

D-Sub 9-pin jack <=> D-Sub 9-pin jackD-Sub 25-pin jack <=> D-Sub 25-pin jack

- Molded housing
- 7-wire cable, single shielded, AWG28
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
3,0m	234760 / **DB-229407**	229407 / **DK-113019**

DIGITUS® Blister serial extension cable, premium

for 9--pin interfaces

D-Sub 9-pin plug <=> D-Sub 9-pin jack

- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234791 / **DB-229414**	229414 / **DK-113020**
3,0m	234814 / **DB-229421**	229421 / **DK-113021**
5,0m	234838 / **DB-229438**	229438 / **DK-113022**
10,0m	234852 / **DB-229452**	229452 / **DK-113023**

DIGITUS® Blister Serial connection cable, premium

for 9--pin interfaces

D-Sub 9-pin jack <=> D-Sub 9-pin jack

- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234876 / **DB-229469**	229469 / **DK-113024**
3,0m	234906 / **DB-229476**	229476 / **DK-113025**
5,0m	234920 / **DB-229483**	229483 / **DK-113026**

DIGITUS® Blister Zero-modem cable, premium

D-Sub 9-pin jack <=> D-Sub 9-pin jack
- Molded housing
- 8-wire cable, single shielded, AWG28
- Assignment: 1-4, 2-3, 3-2, 4-1, 5-5, 7-8, 8-7, 9-9, S-S
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	234708 / **DB-229377**	229377 / **DK-113016**
3,0m	234722 / **DB-229384**	229384 / **DK-113017**

DIGITUS® Blister PS/2 connection cable, premium

connection cable, straight

MiniDIN 6-pin plug <=> MiniDIN 6-pin plug
- Molded housing
- 6-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235026 / **DB-229537**	229537 / **DK-103003**
3,0m	235040 / **DB-229544**	229544 / **DK-103004**
5,0m	235064 / **DB-229551**	229551 / **DK-103005**

DIGITUS® Blister PS/2 extension cable, premium

extension cable, straight

MiniDIN 6-pin plug <=> MiniDIN 6-pin jack
- Molded housing
- 6-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234982 / **DB-229513**	229513 / **DK-103001**
3,0m	234999 / **DB-229520**	229520 / **DK-103002**

DIGITUS® Blister Serial connection cable, premium

for 9--pin interfaces

D-Sub 9-pin plug <=> D-Sub 9-pin plug
- Molded housing
- 9-wire cable, single shielded, AWG28
- Assignment 1:1
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	234944 / **DB-229490**	229490 / **DK-113027**
3,0m	234968 / **DB-229506**	229506 / **DK-113028**

Specification Features	HDMI 1.0	HDMI 1.1	HDMI 1.2	HDMI 1.2a	HDMI 1.3	HDMI 1.3a/b
max. Band Range	4,95 GBit/s, 165 MHz (Type A plug)	4,95 GBit/s, 165 MHz (Type A plug); 10 GBit/s 165 MHz (Type B plug)	4,95 GBit/s, 165 MHz (Type A plug) 10 GBit/s 165 MHz (Type B plug)	4,95 GBit/s, 165 MHz (Type A plug) 10 GBit/s 165 MHz (Type B plug)	10,2 GBit/s, 340 MHz (plug type A, type C)	10,2 GBit/s, 340 MHz (plug type A, type C)
max. Resolution	1080p/60 Hz ▶ 1920 x 1080 pixel HDTV resolution = 1920 x 1080 pixel	1080p/60 Hz ▶ 1920 x 1080 pixel HDTV resolution = 1920 x 1080 pixel)	1080p/60 Hz ▶ 1920 x 1080 pixel HDTV resolution = 1920 x 1080 pixel	1080p/60 Hz ▶ 1920 x 1080 pixel HDTV resolution = 1920 x 1080 pixel	1440p/120 Hz HDTV resolution = 1920 x 1080 pixel	1440p/120 Hz HDTV resolution = 1920 x 1080 pixel
Sound Type	8 PCM, Dolby Digital, DTS, MPEG	8 PCM, Dolby Digital, DTS, MPEG, DVD-Audio	8 PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD	8 PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD	8 PCM, Dolby Digital, DTS, Dolby Digital Plus, True HD, and dts-HD	8 PCM, Dolby Digital, DTS, Dolby Digital Plus, True HD, and dts-HD
Color Space	24 Bit RGB/36 Bit YUV	24 Bit RGB/36 Bit YUV	24 Bit RGB/36 Bit YUV	24 Bit RGB/36 Bit YUV	Deep Color 30, 36 and 48 Bit RGB/ YUV, xvYCC-Color space (IEC 61966-2-4)	Deep Color 30, 36 and 48 Bit RGB/ YUV, xvYCC-Color space (IEC 61966-2-4)
Plug Type	Type A 	Type A/B (Type B, not common for consumer electronics) 	Type A/B (Type B, not common for consumer electronics) 	Type A/B (Type B, not common for consumer electronics) 	Type A; mini-HDMI (Type C) 	Type A; mini-HDMI (Type C) 
Miscellaneous				CEC-support; test for cable length	CEC-support; Lip Sync; test for cable length	CEC-support; Lip Sync; test for cable length; test of TMDS clock channel

DIGITUS® Blister HDMI connection cable, premium

HDMI Typ A plug <=> HDMI Typ A plug
- Molded housing
- 19-wire cable, double shielded
- UL20276
- Gold plated
- HDMI 1.3 compatible
- Plug colour: black/grey
- Cable color: black

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	241775 / **DB-241393**	241393 / **DK-108049**
2,0m	235088 / **DB-229568**	229568 / **DK-108050**
3,0m	235101 / **DB-229575**	229575 / **DK-108051**
5,0m	235125 / **DB-229582**	229582 / **DK-108052**
10,0m	234852 / **DB-229452**	229599 / **DK-108054**

DIGITUS® Blister HDMI - DVI connection cable, premium

HDMI type A plug (19-pin) <=> DVI-D (18+1) plug
- Molded housing
- 19-wire cable, double shielded, AWG30
- UL20276
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235163 / **DB-229605**	229605 / **DK-108002**
3,0m	235187 / **DB-229612**	229612 / **DK-108003**
5,0m	235200 / **DB-229629**	229629 / **DK-108004**
10,0m	235224 / **DB-229636**	229636 / **DK-108006**

DIGITUS® Blister HDMI - DVI connection cable, premium

HDMI Typ A plug (19-pin) <=> DVI-D (24+1) plug
- Molded housing, gold plated
- 19-wire cable, double shielded, AWG28, 2x ferrite filter
- UL20276
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235262 / **DB-229643**	229643 / **DK-108010**
3,0m	235279 / **DB-229704**	229704 / **DK-108011**
5,0m	235286 / **DB-229711**	229711 / **DK-108012**

DIGITUS® Premium DVI cables

Specification Feature	DVI-A	DVI-I		DVI-D	
	Single-Link	Dual-Link	Dual-Link	Single-Link	Dual-Link
max. Band Range	3,7 GBit/s, 165 MHz	3,7 GBit/s, 165 MHz	7,4 GBit/s, 330 MHz	3,7 GBit/s, 165 MHz	7,4 GBit/s, 330 MHz
max. Resolution	1920 x 1200 pixel at 60 Hz HDTV resolution = 1920 x 1080 pixel	1920 x 1200 pixel at 60 Hz HDTV resolution = 1920 x 1080 pixel	2560 x 1600 pixel at 60 Hz HDTV resolution = 1920 x 1080 pixel	1920 x 1200 pixel at 60 Hz HDTV resolution = 1920 x 1080 pixel	2560 x 1600 pixel at 60 Hz HDTV resolution = 1920 x 1080 pixel
Color Space	24 Bit RGB	24 Bit RGB	24 Bit RGB	24 Bit RGB	24 Bit RGB
Plug Type	DVI 12+5	DVI 18+5	DVI 24+5 	DVI 18+1	DVI 24+1 
Miscellaneous	cable /adapter with connected signal lines for analog video signals. Only for use of anaolg devices. This cable is not very common on the European market. Instead of DVI-A you can use DVI-I (Single-Link) cables as well.	cable /adapter with connected signal lines for analog and digital video signals. It's possible to use analog as well as digital devices.	cable /adapter with connected signal lines for analog and digital video signals. It's possible to use analog as well as digital devices.	cable /adapter with connected signal lines for digital video signals. Only digital devices can be used.	cable /adapter with connected signal lines for digital video signals. Only digital devices can be used.

DIGITUS® Blister DVI-D connection cable, premium

Digital connection cable DVI (Single-Link) for Video transmission up to a max. data rate of 3,7Gbit/s. A resolution of 1920 × 1200 pixel at 60 Hz is possible. The cable is fit for 1080P.

DVI-D (18+1) plug <=> DVI-D (18+1) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- UL20276
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235323 / **DB-229759**	229759 / **DK-110008**
3,0m	235330 / **DB-229766**	229766 / **DK-110009**
5,0m	235347 / **DB-229773**	229773 / **DK-110010**

DIGITUS® Blister DVI-D connection cable, premium

Digital connection cable DVI (Dual-Link) for Video transmission up to a max. data rate of 7.4 Gbit/s. A resolution of 2560 x 1600 pixel at 60 Hz is possible. The cable is fit for 1080P.

DVI-D (24+1) plug <=> DVI-D (24+1) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- UL20276
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235385 / **DB-229780**	229780 / **DK-110031**
3,0m	237082 / **DB-229797**	229797 / **DK-110032**
5,0m	237099 / **DB-229803**	229803 / **DK-110033**

DIGITUS® Blister DVI-I - VGA connection cable, premium

DVI-I (24+5) plug <=> HD D-Sub 15-pin plug

- Molded housing
- 12-wire cable, double shielded, AWG28
- UL20276
- 2x ferrite filter
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235422 / **DB-229810**	229810 / **DK-110034**
3,0m	235439 / **DB-229827**	229827 / **DK-110035**
5,0m	235446 / **DB-229834**	229834 / **DK-110036**

DIGITUS® Blister DVI-D extension cable, premium

DVI-D (24+1) plug <=> DVI-D (24+1) jack

- Molded housing
- Cable full connected, double shielded, AWG28
- UL20276
- 2x ferrite filter
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235491 / **DB-229841**	229841 / **DK-110002**
3,0m	235507 / **DB-229858**	229858 / **DK-110003**
5,0m	235514 / **DB-229865**	229865 / **DK-110004**
10,0m	235521 / **DB-229872**	229872 / **DK-110006**

DIGITUS® Blister DVI-I connection cable, premium

DVI-D (18+5) plug <=> DVI-D (18+5) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- UL20276
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235569 / **DB-229889**	229889 / **DK-110013**
3,0m	235576 / **DB-229896**	229896 / **DK-110014**
5,0m	235583 / **DB-229902**	229902 / **DK-110015**

DIGITUS® Blister DVI-I connection cable, premium

DVI-D (24+5) plug <=> DVI-D (24+5) plug

- Molded housing
- Cable full connected, double shielded, AWG28
- UL20276
- 2x ferrite filter
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235620 / **DB-229919**	229919 / **DK-110019**
3,0m	235637 / **DB-229926**	229926 / **DK-110020**
5,0m	235644 / **DB-229933**	229933 / **DK-110021**



DIGITUS® Blister DVI-I - RCA (RGB) connection cable, premium

DVI-I (24+5) plug <=> 3x RCA (RGB) plug

- Molded housing
- 6-wire cable, shielded, AWG28
- UL2919
- Plug olour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235682 / **DB-229940**	229940 / **DK-110027**
3,0m	235699 / **DB-229957**	229957 / **DK-110028**
5,0m	235705 / **DB-229964**	229964 / **DK-110029**

DIGITUS® Blister VGA monitor connection cable, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug

- Molded housing
- 14-wire cable, shielded, AWG28
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	235743 / **DB-229971**	229971 / **DK-113029**
3,0m	235750 / **DB-229988**	229988 / **DK-113030**
5,0m	235767 / **DB-229995**	229995 / **DK-113031**

DIGITUS® Blister VGA monitor extension cable, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack

- Molded housing
- 14-wire cable, shielded, AWG28
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	235804 / **DB-230007**	230007 / **DK-113032**
3,0m	235811 / **DB-230014**	230014 / **DK-113033**
5,0m	235828 / **DB-230021**	230021 / **DK-113034**

DIGITUS® Blister VGA monitor connection cable, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	235873 / **DB-230038**	230038 / **DK-113035**
3,0m	235880 / **DB-230045**	230045 / **DK-113036**
5,0m	235897 / **DB-230052**	230052 / **DK-113037**
10,0m	235903 / **DB-230069**	230069 / **DK-113038**

DIGITUS® Blister VGA monitor extension cable, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 4x AWG28 signal wires, double shielded
- UL2919
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	235958 / **DB-230076**	230076 / **DK-113039**
3,0m	235965 / **DB-230083**	230083 / **DK-113040**
5,0m	235972 / **DB-230090**	230090 / **DK-113041**
10,0m	235989 / **DB-230106**	230106 / **DK-113042**

DIGITUS® Blister XGA monitor connection cable with ferrite filter, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded
- 2x ferrite filter
- UL2919
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	236078 / **DB-230113**	230113 / **DK-113043**
3,0m	236085 / **DB-230120**	230120 / **DK-113044**
5,0m	236092 / **DB-230137**	230137 / **DK-113045**
10,0m	236108 / **DB-230144**	230144 / **DK-113046**
15,0m		230151 / **DK-113047**
20,0m		230168 / **DK-113048**

DIGITUS® Blister XGA monitor extension cable with ferrite filter, premium

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin jack
- Molded housing
- 3x coax for RGB and 7x AWG28 signal wires, double shielded
- 2x ferrite filter
- UL2919
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	236115 / **DB-230175**	230175 / **DK-113049**
3,0m	236122 / **DB-230182**	230182 / **DK-113050**
5,0m	236139 / **DB-230205**	230205 / **DK-113051**
10,0m	236146 / **DB-230212**	230212 / **DK-113052**
15,0m		230229 / **DK-113053**
20,0m		230236 / **DK-113054**

DIGITUS® Blister VGA - BNC monitor connection cable with ferrite filter, premium

HD D-Sub 15-pin plug <> 5x BNC plug

- Molded housing
- 5x 75 Ohm coaxial cables, coax RGB (Sync), shielded, AWG28
- 1x Ferrit Filter
- UL2919
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	236160 / **DB-230243**	230243 / **DK-113055**

DIGITUS® Blister USB connection cable, A to B, premium

USB A plug <=> USB B plug

- Molded housing
- 4-wire cable, double shielded, 2x AWG28 und 2x AWG24
- UL2725
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236214 / **DB-230250**	230250 / **DK-112001**
1,8m	236221 / **DB-230267**	230267 / **DK-112002**
3,0m	236238 / **DB-230274**	230274 / **DK-112003**
5,0m	236245 / **DB-230281**	230281 / **DK-112004**

DIGITUS® Blister USB extension cable, A to A, premium

USB A plug <=> USB A jack

- Molded housing
- 4-wire cable, double shielded, 2x AWG28 and 2x AWG24
- UL2725
- Plug colour: black/grey
- Cable color: black
- In Blisterpackage



	DIGITUS® Blister	DIGITUS® Polybag
1,8m	236252 / **DB-230298**	230298 / **DK-112005**
3,0m	236290 / **DB-230304**	230304 / **DK-112006**
5,0m	236306 / **DB-230311**	230311 / **DK-112007**

DIGITUS® Blister USB connection cable, A to A, premium

USB A plug <=> USB A plug

- Molded housing
- 4-wire cable, double shielded, 2x AWG28 und 2x AWG24
- UL2725
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236351 / **DB-230328**	230328 / **DK-112008**
2,0m	236368 / **DB-230335**	230335 / **DK-112009**
3,0m	236375 / **DB-230342**	230342 / **DK-112010**
5,0m	236382 / **DB-230359**	230359 / **DK-112011**

DIGITUS® Blister USB 2.0 connection cable, A to B, premium

USB A plug <=> USB B plug

- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	236467 / **DB-230366**	230366 / **DK-112012**
3,0m	236474 / **DB-230373**	230373 / **DK-112013**
5,0m	236481 / **DB-230380**	230380 / **DK-112014**

DIGITUS® Blister USB 2.0 extension cable, A to A, premium

USB A plug <=> USB A jack

- Molded housing
- 4-wire cable, double shielded, 2x AWG24, 2x AWG28
- UL2725
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
2,0m	236641 / **DB-230397**	230397 / **DK-112015**
3,0m	236658 / **DB-230403**	230403 / **DK-112016**
5,0m	236665 / **DB-230410**	230410 / **DK-112017**

DIGITUS® Blister USB 2.0 connection cable, A to A, premium

USB A plug <=> USB A jack

- Molded housing
- 4-wire cable, double shielded, 2 x AWG24, 2 x AWG28
- UL2725
- USB 2.0 certified
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,8m	236672 / **DB-230427**	230427 / **DK-112018**
3,0m	236689 / **DB-230434**	230434 / **DK-112019**
5,0m	236696 / **DB-230441**	230441 / **DK-112020**

DIGITUS® Blister USB mini connection cable, A to B, premium

USB A plug <=> USB B-mini (4-pin) plug (Mitsumi Type)

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL2725
- USB 2.0 compatible
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236702 / **DB-230458**	230458 / **DK-112021**
2,0m	236719 / **DB-230465**	230465 / **DK-112022**
3,0m	236726 / **DB-230472**	230311 / **DK-112007**

DIGITUS® Blister USB mini connection cable, A to B, premium

USB A plug <=> USB B-mini (5-pin) plug

- Molded housing
- 4-wire cable, double shielded, 2x AWG24, 2x AWG28
- UL2725, USB 2.0 compatible
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236733 / **DB-230489**	230489 / **DK-112024**
2,0m	236740 / **DB-230496**	230496 / **DK-112025**
3,0m	236757 / **DB-230502**	230502 / **DK-112026**
5,0m	236764 / **DB-230519**	230519 / **DK-112027**

DIGITUS® Blister FireWire IEEE 1394A connection cable, premium

1394A 6-pin plug <=> 1394A 6-pin plug

- Molded housing
- 6-wire cable, double shielded, AWG22/28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236887 / **DB-230526**	230526 / **DK-115001**
1,8m	236894 / **DB-230533**	230533 / **DK-115002**
3,0m	236900 / **DB-230540**	230540 / **DK-115003**
5,0m	236917 / **DB-230557**	230557 / **DK-115004**

DIGITUS® Blister FireWire IEEE 1394A connection cable, premium

1394A 4-pin plug <=> 1394A 6-pin plug

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236924 / **DB-230564**	230564 / **DK-115005**
1,8m	236931 / **DB-230571**	230571 / **DK-115006**
3,0m	236948 / **DB-230588**	230588 / **DK-115007**
5,0m	236955 / **DB-230595**	230595 / **DK-115008**

DIGITUS® Blister FireWire IEEE 1394A connection cable, premium

1394A 4-pin plug <=> 1394A 4-pin plug

- Molded housing
- 4-wire cable, double shielded, AWG28
- UL20276 and IEEE 1394A compatible
- The maximum data transfer rate is 400 Mbps
- Plug colour: black/grey
- Cable color: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	236962 / **DB-230601**	230601 / **DK-115009**
1,8m	236979 / **DB-230618**	230618 / **DK-115010**
3,0m	236986 / **DB-230625**	230625 / **DK-115011**

DIGITUS® Blister External eSATA connection cable, premium

The cable provides a safe connection between PC and HDD-enclosure.

eSATA plug <=> eSATA plug
- Compatible with Serial ATA standard
- Molded housing
- 7-wire cable, double shielded, AWG26
- 4x Data wires, 3x earthing wires
- UL2725
- Suitable for data transfer up to 300 MB/s
- Plug colour: black/grey
- Cable colour: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
0,75m	237044 / **DB-230632**	230632 / **DK-126001**
1,00m	237051 / **DB-230649**	230649 / **DK-126002**
1,50m	237068 / **DB-230656**	230656 / **DK-126003**

DIGITUS® Blister External eSATA connection cable, premium

The cable provides a safe connection between PC and HDD-enclosure.

eSATA plug <=> SATA plug
- Compatible with Serial ATA standard
- Molded housing
- 7-wire cable, double shielded, AWG26
- 4x Data wires, 3x earthing wires
- UL2725
- Suitable for data transfer up to 300 MB/s
- Plug colour: black/grey
- Cable colour: black
- In blisterpackage

	DIGITUS® Blister	DIGITUS® Polybag
1,0m	237075 / **DB-230663**	230663 / **DK-126004**
2,0m	241713 / **DB-230670**	230670 / **DK-126005**

Audio connection cable, high-quality

3.5mm stereo plug <=> 3.5mm stereo plug
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161240 / **AK-AV 556**	1,5 m
161257 / **AK-AV 557**	5,0 m

Toslink connection cable, high-quality

Toslink plug <=> Toslink plug
- Metal plug, nickel-coloured, gold plated contacts
- Cable color: blue
- In blisterpackage

161189 / **AK OFC-5**	1,0 m
161196 / **AK OFC-52**	2,0 m
161202 / **AK OFC-53**	3,0 m

Scart connection cable, high-quality

Scart 21-pin plug <=> Scart 21-pin plug
- Metal plug, chrome plated, gold plated contacts
- Scart plug 45° angled
- full connected (21-wire)
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

160946 / **AK-AV 531**	1,5 m
160953 / **AK-AV 532**	5,0 m

Scart - RCA connection cable with switch, high-quality

connection cable with In/Out switch to choose the signal direction.

Scart 21-pin plug <=> 2x RCA plug, audio/stereo + S-VHS plug
- Video / Audio IN/OUT, with switch
- Metal plug, chrome plated, gold plated contacts
- Scart plug 45° angled
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

160960 / **AK-AV 533**	1,5 m
160977 / **AK-AV 534**	5,0 m

Scart - S-VHS connection cable, high-quality

Signal direction Scart -> S-VHS
Scart 21-pin plug <=> S-VHS plug
- Metal plug, chrome plated, gold plated contacts
- Scart plug 45° angled
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

160984 / **AK-AV 535**	1,5 m
160991 / **AK-AV 536**	5,0 m

Scart - RCA connection cable , high-quality

Scart 21-pin plug <=> 6x RCA plug, 4x Audio/stereo + 2x Video
- Metal plug, chrome plated, gold plated contacts
- Scart plug 45° angled
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161004 / **AK-AV 537**	1,5 m
161011 / **AK-AV 538**	5,0 m

Scart - RCA connection cable with switch, high-quality

connection cable with In/Out switch to choose the signal direction.
Scart 21-pin plug <=> 3x RCA plug, 2x Audio/stereo + 1x Video
- Metal plug, chrome plated, gold plated contacts
- Scart plug 45° angled
- 1x ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161028 / **AK-AV 539**	1,5 m
161035 / **AK-AV 540**	5,0 m

S-VHS/RCA connection cable, high-quality

S-VHS plug + 2x RCA plug, Audio/stereo <=> S-VHS plug + 2x RCA plug, Audio/stereo
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161042 / **AK-AV 541**	1,5 m
161059 / **AK-AV 542**	5,0 m

S-VHS connection cable, high-quality

S-VHS plug <=> S-VHS plug
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161066 / **AK-AV 543**	1,5 m
161073 / **AK-AV 544**	5,0 m
161080 / **AK-AV 545**	10,0 m

S-VHS extension cable, high-quality

S-VHS plug <=> S-VHS jack
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161097 / **AK-AV 546**	1,5 m
161110 / **AK-AV 547**	5,0 m

RCA connection cable, high-quality

3x RCA plug, 2x Audio/stereo + 1x Video <=> 3x RCA plug, 2x Audio/stereo + 1x Video
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161127 / **AK-AV 548**	1,5 m
161134 / **AK-AV 549**	5,0 m

RCA connection cable, high-quality

2x RCA plug, Audio/stereo <=> 2x RCA plug, Audio/stereo
- Metal plug, chrome-plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161141 / **AK-AV 550**	1,5 m
161158 / **AK-AV 551**	5,0 m

RCA connection cable, mono, high-quality

RCA plug <=> RCA plug
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161165 / **AK-AV 552**	1,5 m
161172 / **AK-AV 553**	5,0 m

Audio connection cable, high-quality

3.5mm stereo plug <=> 2x RCA plug
- Metal plug, chrome plated, gold plated contacts
- Ferrite filter
- Shielded
- Cable color: blue
- In blisterpackage

161226 / **AK-AV 554**	1,5 m
161233 / **AK-AV 555**	5,0 m

DIGITUS® Retractable cable set, 5 parts

5 part cable- & adapterset in a case:
- 1 x RJ 45 cable, male <=> male(for connecting your computers to a network)
- 1 x RJ 11 cable, male <=> male(for connecting a modem or phone)
- 1 x Headset / MIC combination, 2 x 3.5 connectors(for connecting to the sound card, useable e.g. for internet telephony)
- 1 x USB cable, A male <=> B male(for connecting USB devices to your PC/Notebook)
- Cable length 1.2m - retractable
- 1 x adapter USB A male <=> USB B male(expanding connection possibilities)
- In a practical and handy case with zipper
- Ideally for on the way as well as for service and support

185680 / **DA-RET-SET**

DIGITUS® Retractable USB connector cable

- To connect USB devices to computers for example
- Suitable for service people and engineers
- Ideal when on the move (e.g. travelling, with notebooks)
- USB A -> USB B male / male, 1.2 m retractable wire

170365 / **DA-RET-USB01**

DIGITUS® Retractable RJ45 connector cable

- To connect computers to a network for example
- Suitable for service people and engineers
- Ideal when on the move (e.g. travelling, with notebooks)
- 2 x RJ45 male, 1.2 m retractable wire

170341 / **DA-RET-RJ45**

DIGITUS® Retractable RJ11 connector cable

- To connect modems and phones for example
- Suitable for service people and engineers
- Ideal when on the move (e.g. travelling, with notebooks)
- 2 x RJ11 male, 1.2 m retractable wire

170358 / **DA-RET-RJ11**

Cable tie, industrial standard

- Nylon, UL tested, flame protection as per UL 94V-2
- Max. tensile stress 50 kg
- Packaging unit 100 pieces

064718 / **AKB-1**	L 120 x W 2,6 mm
064725 / **AKB-2**	L 160 x B 2,6 mm
064732 / **AKB-3**	L 200 x B 2,6 mm

Cable tie with marking plate

- Nylon, UL tested, flame protection as per UL 94V-2
- Max. tensile stress 8 kg
- Packaging unit 100 pieces

051831 / **AKB-1KE**	L 100 x W 2,5 mm
051855 / **AKB-2KE**	L 200 x B 2,5 mm
051879 / **AKB-3KE**	L 190 x B 4,8 mm
051893 / **AKB-4KE**	L 270 x B 4,8 mm

Roundcable holders, self-adhesive

- Diameter variable up to max. 20 mm
- The cable holder can be opened again after closing
- Self-adhesive
- Set = 5 pieces

061205 / **A-CABLE MANAGER**	5 pcs. roundcable holders

Two-Way cable tie attachment base

- Nylon
- Packaging unit 100 pieces.
- For attaching cable ties.
- Self-adhesive designs
- For max. 3,6 mm width

051848 / **AKB-1SOK**	

Ribbon cable clip

- PVC, Self-adhesive
- Cable capacity max. 20 x 26 x 6,5 mm

051947 / **AKHF-1**	

DIGITUS® Reusable cable ribbons, pack of 5 pcs.

- Velcro fastener
- Five different colours
- Total length 16cm
- Width 16mm

170334 / **DA-CT4001**	cable ties, 5 pcs.



Mainboard and drive mounting kit

- 28x screws for mounting mainboard, case cover and hard drives
- 10x screws for mounting CD-ROM, DVD drives, etc.
- 6x plastic mainboard spacers
- 2x metal spacers and insulating washers

107712 / **A PCMOUNT-KIT1**

Mainboard and drive mounting kits

- 14x screws for mounting mainboard, case cover and hard drives;
- 20x screws formounting CD-ROM, DVD drives, etc.;
- 2x plastic mainboard spacer;
- 12x metalspacer (long and short threads);
- 6x jumpers;
- 2x ribbon cable mounting clips withadhesive base;
- 6x D-Sub screws, threading long.

107729 / **A PCMOUNT-KIT2**

DIGITUS® PC ATX power supply tester

Wrong dimensioned and faulty PC power supplies result in an instable computer system can damage the hardware. Troubleshooting such a faulty system usually took much time and was complex. But now this compact, fast and easy device shows the proper status of all supplied voltages at a glance.

- ATX power supply tester
- Shows the accurate status of all power supply voltages
- Fast and easy plug & play operation
- Connectors for testing with 20 / 24 -pin mainboard connectors, 4, 6 and 8-pin extension connectors as well as floppy and SATA connectors
- Robust aluminium housing
- Essential for service personnel and computer enthusiasts

200178 / **DA-70601**

PC cable test device

All typical PC cables can be tested with this test device

- Tests continuity, connection and assignment
- Displays the assignment via LEDs
- LEDs: 36x input, 36x output, 1x manual test, 1x automatic test, 1x shielding
- 5 buttons: test, auto / manual, test speed, reset, on/off
- Automatic and manual test execution
- Connections: D-Sub 9 male / female, D-Sub 15 male / female, HD D-Sub male / female, D-Sub 25 male / female, CENT 36 female, BNC male, RJ45 female, USB A+B female, IEEE 1394 6-pin female
- Operates with 9 Volt block battery, connection for optional 9V / 150 mA power supply

126782 / **ACT-PC-PRO**